

SPECIALTY PRODUCTS:



ANTERIOR TILT 30°

- ▶ 30° of anterior tilt is available as a module on UltraLow CG tilt systems or as a stand alone system
- ▶ Elevating module of 6" or 7" may also be added
- ▶ Power front rigging options available
- ▶ Seat-to-floor heights starting at 19¼" without elevate
- ▶ Seat-to-floor height of 20½" with elevating module



ATTITUDE

- ▶ Designed to assist independent transfers
- ▶ A separate power platform lowers to almost ground level and flips back towards seat pan to decrease footprint of chair
- ▶ For use with the UltraLow CG tilt or tilt/recline systems
- ▶ 185 lbs capacity
- ▶ Available for rear wheel drive Storm only
- ▶ Must be ordered through request for quotation (RFQ)
- ▶ Call customer service for details



POWER SLIDING BACK

- ▶ Back moves up and down to a maximum of 5" independent, and in synchronization with recline
- ▶ Used instead of ESR
- ▶ Can be used with most standard Motion Concepts' backs greater than 20" in height
- ▶ Requires enhanced electronics for independent operation



POWER SWING AWAY CHIN AND/OR CENTER LINE MOUNTING SYSTEM

- ▶ Can be used for mounting of drive controls and/or power positioning controls
- ▶ Uses a switch boom, swings away to free client's face from obstruction
- ▶ Can be used on all standard Motion Concepts' backs
- ▶ Left and right swing-in available
- ▶ Allows client to adjust height of chin control in 1½" range



POWER SWING-AWAY BACKPACK KIT

- ▶ Backpack swings around 270° from home position at rear to beside armrest in order to provide users with access to stored items
- ▶ Left and right swing-in available
- ▶ Available on tilt or tilt/recline systems
- ▶ 50 lbs pack storage capacity
- ▶ Not available as an 'off-chair' option



VERTICAL LIFTING PLATFORM

- ▶ Mechanical platform can lift up to 200 lbs
- ▶ Easily interfaces with most popular mid wheel drive bases
- ▶ Platform can lift from 5" off floor to flush with seat pan or flush to floor up to 5" from seat pan
- ▶ Chair will be driven in 5° of pre-tilt
- ▶ Must be ordered through request for quotation (RFQ)
- ▶ Call customer service for details