Thank you for using Motion Concepts eForms.

Motion Concepts is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fi ll out a form electronically, print and fax the form, save and email* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.

Adobe Acrobat Reader DC

* Interactive functions of our new forms work best with the latest version of Adobe Acrobat Reader DC visit https://get.adobe.com/reader/ to download and install on your PC or Mac or visit Google Play/ iTunes to download the Adobe Acrobat Reader DC app for your device.

Save

Adobe Acrobat Reader DC allows you to save this form with your content - to complete later or use as a starting point for your next form. Please note that content must be added and saved in Acrobat - saving content from completed forms in the browser may not be possible.

SAVE

Submit

Adobe Acrobat Reader DC allows you to submit this form electronically via your email client.

Simply click the submit button below and step through the simple process.

SUBMIT

CLEAR FORM

Print

If you do not have access to Adobe Acrobat Reader DC simply print this form and complete it by hand and fax it to our Customer Service Department at:

888-433-6818

PRINT FORM

ULTRA LOW MINI CG POWER POSITIONING SYSTEM ON ROVI X3 BASE

US PRICE LIST AND ORDER FORM - Price Effective March 2, 2026

PRINT FORM | SAVE | CLEAR FORM

Motion Concepts Customer Service: 1-888-433-6818 quotes@motionconcepts.com

REQUIRED INFORMATION

❑Quote ❑Order

Date of Order:_____ Dealer Account #: _____

Dealer Name: _____

PO #: _____ Tag _____

Purchasing Contact: _____

Phone:_____ Fax:_____

E-mail:_____

ATP/Therapist: _____

Ship to Address:_____

City: _____ State: _____


Zip: _____ Client Gender: ❑M ❑F

Special Client Conditions:_____

REQUIRED MEASUREMENTS

To ensure system is accurately configured please fill in all ***REQUIRED**** measurements

Client Height*	
Client Weight (lbs)*	
A. Seat to Shoulder	
B. Trunk Depth	
C. Chest Width	
D. Knee to Back	
E. Seat to Top of Head	
F. Back to Joystick	
G. Seat to Elbow	
H. Hip Width	
I. Knee to Heel*	
Cushion Thickness*	



ROVI X3

BASE VITALS

HCPCS CODES	K0856, K0861
SUSPENSION SYSTEM	Active Ride Control (ARC)
BASE WIDTH	23.25”
BASE LENGTH	36.5”
DRIVE WHEEL SIZE [1]	14”
CASTER WHEEL SIZE (front/rear)	6”
TURNING RADIUS	19.5”
DRIVETRAIN	4-pole Motors

BATTERIES	2 x M34
BATTERY CHARGER	8A, Off Board
BATTERIES WEIGHT (each)	38.5 lbs (M34)
RANGE [2]	17.7 miles
WEIGHT CAPACITY	300 lbs
BASE WEIGHT (w/o batteries)	157 lbs
GROUND CLEARANCE	3”
MAXIMUM SPEED	6.2 mph

[1] *All X3 wheels come with solid inserts*

[2] *Actual driving range and speed may vary due to factors such as user weight, type and grade of terrain, battery condition & charge level; type and condition of the drive wheels, and variations in the drive and control systems.*

SINGLE POWER OPTION K0856



MULTIPLE POWER OPTIONS K0861



Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

SINGLE POWER BASE OPTIONS[1]

❑ 888WNLEX3-MPS	ROVI X3 R-NET[2] 5.8 mph Quick Speed Motors HCPCS code K0856	$8,430

1. Includes: Active Ride Control suspension, tie-down hardware for 4-point strap system, 8 amp off-board charger, fl at free inserts and positioning belt. Weight capacity is 300 lbs. Must select Joystick separately.
2. R-Net Controller and Harness required

MULTIPLE POWER BASE OPTION[1]

❑ 888WNLEX3-MPM	ROVI X3 R-NET[2] 5.8 mph Quick Speed Motors HCPCS code K0861	$8,430

1. Includes: Active Ride Control suspension, tie-down hardware for 4-point strap system, 8 amp off-board charger, flat free inserts and positioning belt. Weight capacity is 300 lbs. Must select Joystick separately.
2. R-Net Controller and Harness required

SEAT-TO-FLOOR HEIGHT[1]

❑ STF18375	18.375" Seat-To-Floor	N/C
❑ STF19375	19.375" Seat-To-Floor	N/C
❑ STF20375	20.375" Seat-To-Floor	N/C

1. Seat-to-floor height is measured at the front of the seat pan based on a standard seat size. Seat-to-floor height may vary +/-.25" dependent on condition of the power base and seat depths greater than 18"

WHEELCHAIR TRANSPORT BRACKETS

❑ XBKTS	Wheelchair Transport Brackets[1]	$263
❑ XRO	Transport Ready Option[2][4]	$289
❑ XROE	Transport Ready Option for Elevate[2][3][4]	$315

1. For unoccupied use only
2. XRO meets ISO-7176 Part 19
3. Required for Elevate Systems to meet ISO-7176 Part 19, includes two additional tie-down loops on rail.
4. Must select a Motion Concepts or Matrx Elan headrest with hardware and Motion Concepts Standard Rehab, High Back or Matrx Upgradeable back. Comes with pelvic safety belt standard, please select XROBELT on page 5.

TIRE OPTIONS

❑ STIRES	Standard Solid Tires	STD
❑ PTIRES	Pneumatic Tires	$209

HIGHSPEED MOTORS AND ENHANCED DRIVING

❑ HSM62	Optional 6.2 mph High Speed Motors[1] *Must order OnTraxx Enhanced Driving Module*	$998
❑ OEDM	OnTraxx Enhanced Driving Module[2] HCPCS code K0108	$788

1. When selecting an increased speed motor package there is a reduction in torque output by roughtly 15%.
2. Recommended for use with Specialty Drive Controls

R-NET CONTROLLER AND HARNESS[1]

❑ D51109	R-Net Expandable Controller HCPCS codeE2377	$795
❑ REH	R-Net Harness Expandable Controller HCPCS codeE2313	$595

1. Required for R-Net Bases

JOYSTICKS

❑ D51122	R-Net LED Joystick[1]	N/C
❑ D51108	R-Net LED Joystick for Lights[2]	N/C
❑ D51165	R-Net Color Remote Joystick with Monojacks[1]	$630
❑ D50982	R-Net Color Remote Joystick with Monojacks for Lights[2]	$630
❑ D51711	R-Net Advanced Joystick[3]	$1,045

1. Must order Through Switch Electronics (SFCB,MFCBS). Fender lights operate through separate Single Push Button.
2. Must order Though Joy Electronics (SFCBA, DFCBD, MFCBD). Fender lights operate through Joystick Buttons.
3. 3.5" high-resolution VGA color display, IR Control as standard, includes integrated Bluetooth Module. If selecting Through Switch Electronics (SFCB, MFCBS), fender lights will operate through separate Single Push Button. If selecting Through Joy Electronics (SFCBA, DFCBD, MFCBD), fender lights will operate through Joystick Buttons.

LIGHTED FENDER

❑ BWFL		Blizzard White (Metallic)
❑ OCFL		Orange Crush
❑ MGFL		Motion Green
❑ BCFL		Black Carbon (Matte)
❑ BPFL		Black Panther (Gloss)
❑ CARFL		Candy Apple Red (Metallic)
❑ GGFL		Graphite Grey (Metallic)
❑ IBFL		Indigo Blue
❑ MYFL		Mellow Yellow
❑ NBFL		Nordic Blue
❑ RDPFL		Razzle Dazzle Pink (Metallic)
❑ PRFL		Purple Reign

MATCHING BATTERY DOORS

❑ MBD	Matching Battery Doors *(Select fender color first)*	$495

CUSTOM DESIGNS

Please see form number TRD0607 - ROVI Custom Designs Price Sheet, for Custom/Dipped Fender colors, battery door and other personalized options.

Ultra Low Mini CG Power Positioning System
Rovi A3 Base

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

LUCI INTERFACE OPTION

☐ LUCI — LUCI Interface Ready[1][2][3][4] ..... N/C

1. LUCI system must be ordered through LUCI directly
2. Not available with 17" seat to floor height
3. Only available with center mount leg rests.
4. Not available with XRO/XROE

OMNI 2 CONTROL MODULE FOR R-NET

☐ OMNI2 — OMNI 2 Control Module $2,095

Includes:

☑ D51709 — R-Net Omni 2 Display Section Bluetooth
☑ D51710 — R-Net Omni2 Input Section USB

Select Cable Assembly Length:

☐ SA81774MK1500 — 1500 mm (4' 11")
☐ SA81774MK2000 — 2000 mm (6' 7")
☐ SA81774MK2500 — 2500 mm (8' 2")

Select Mount:

☐ ARMS260-ROVI — Adjustable Swing-Away Mount - Omni HCPCS code E1034 ..... $310

Select mounting position

☐ OR — Right Mounted
☐ OL — Left Mounted

THIRD PARTY SPECIALTY CONTROLS

Motion Concepts Install recommended

Installed at Motion Concepts: ☐YES ☐NO

☐Type: _____

☐Specialty Control Mount:	☐Right	☐Left
☐Display Mount:	☐Right	☐Left
☐Mode Switch Mount:	☐Right	☐Left
☐On/Off Mount:	☐Right	☐Left

Notes

_____

_____

JOYSTICK MOUNT

Arm Mounted

☐ 800914-067-03 — Fixed Joystick Mounting ..... N/C

Select mounting position

☐ FR — Right Mounted
☐ FL — Left Mounted

☐ MRR — Maxx Resolve Swing-Away Joystick Mount (Right Hand) HCPCS code E1032 ..... $573

☐ MRL — Maxx Resolve Swing-Away Joystick Mount (Left Hand) HCPCS code E1032 ..... $573

☐ SAQR — Motion Height Adjustable Swing-Away Quad Link (Right Hand) HCPCS code E1032 ..... $341

☐ SAQL — Motion Height Adjustable Swing-Away Quad Link (Left Hand) HCPCS code E1032 ..... $341

Select mounting position

☐ R4R — Right Mounted
☐ R4L — Left Mounted

Rear Push Bar Mounted

☐ RPBMR — Right $203
☐ RPBML — Left $203
☐ RPBMC — Center $203

JOYSTICK KNOB - OPTIONAL

☐ SA80941 — "T" Handle HCPCS code E2323 ..... $121
☐ SA72441 — Ball Handle HCPCS code E2323 ..... $121
☐ PC101B-20 — BodyPoint 3" U-Shaped HCPCS code E2323 ..... $126
☐ PC102B-20 — BodyPoint 4" U-Shaped HCPCS code E2323 ..... $126
☐ PC104B-20 — BodyPoint Straight Handle HCPCS code E2323 ... $126
☐ PC107B-20 — BodyPoint Domed Rubber HCPCS code E2323 ... $126

R-NET ATTENDANT CONTROLLER

☐ D50882 — R-Net Attendant Control HCPCS code E2331 ..... $998

Select mounting position

☐ RPBMRA — Right
☐ RPBMLA — Left
☐ RPBMCA — Center

ELECTRONIC OPTIONS

☐ D50883 — R-Net Output Module (EMC)[1] $1,045
☐ D51580 — R-Net Bluetooth Module IOS Apple[1] $940
☐ D51111 — R-Net Bluetooth Module Android/PC[1] $940

1. Requires an R-Net Controller and R-Net Color Remote joystick with these options

ELECTRONIC PROGRAMMER

☐ D51812 — R-Net PC Programmer with Dongle $788

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

NOTE: Systems Include Seat Pan, Back Pan, and Standard Armrests. They are designed for use with a 2"- 3" cushion

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

POWER POSITIONING SYSTEMS[1]

❑ MULMT	Ultra Low Maxx CG Tilt (50°) Only System[1] HCPCS code E1002	$8,178
❑ MULMTRE	Ultra Low Maxx CG Tilt (50°) & Power Recline (170°) w/Extended Shear Reduction(ESR)[1] HCPCS code E1007	$12,630
❑ MULMRE	Ultra Low Maxx Power Recline (170°) w/Extended Shear Reduction(ESR) HCPCS code E1004	$6,268
❑ MULME	Ultra Low Maxx 12 " Elevating Lift Seat Only[2] HCPCS code E2298 *Weight capacity up to 175lbs*	$7,243

1. Tilt will be reduced to 45° if adding an Elevating Lift Seat Module
2. Seat depths of 11" and 12" are limited to 150 lbs

ADD: POWER ADJUSTABLE SEAT HEIGHT MODULE

❑ ESM12	12" Power Adjustable Seat Height Module[1][2] HCPCS code E2298 *Weight capacity up to 175lbs*	$3,493

1. Uses an integrated Tilt/Lift mechanism, tilt is 45° and the seat to floor height is not affected by the Elevating Lift Seat.
2. Seat depths of 11" and 12" are limited to 150 lbs

MODULES - MUST SELECT SYSTEM TO ADD MODULES

❑ PRETILT	5° Fixed Pre-Tilt[1]	N/C
❑ PRM8	8° Precline Module[2]	N/C
❑ PRM30	30° Precline Module[2] HCPCS code K0108	$725
❑ ERSSP	Programable Electronic Recline Function Start & Stop[3] *Specify:* Start: _____degrees Stop: _____degrees	$580

1. This Fixed Pre-tilt option adds approximately 2" to the front seat to floor height.
2. Total degrees of recline is 170° ie. if 30° of precline is used, then 140° of recline will be available. Must order Recline System
3. Requires Multi-Function M610 through Drive Control (MFCBD). Set range between 90° and 170°. Will be set to factory settings unless specified.

SMALL ADULT SEAT WIDTH SETTINGS

❑ MSW11	11" Wide *(Adjustable from 11" to 15")*	N/C
❑ MSW12	12" Wide *(Adjustable from 11" to 15")*	N/C
❑ MSW13	13" Wide *(Adjustable from 11" to 15")*	N/C
❑ MSW14	14" Wide *(Adjustable from 11" to 15")*	N/C
❑ MSW15	15" Wide *(Adjustable from 11" to 15")*	N/C

SMALL ADULT SEAT DEPTH SETTINGS

❑ MSD11	11" Deep *(Adjustable from 11" to 15")*	N/C
❑ MSD12	12" Deep *(Adjustable from 11" to 15")*	N/C
❑ MSD13	13" Deep *(Adjustable from 11" to 15")*	N/C
❑ MSD14	14" Deep *(Adjustable from 11" to 15")*	N/C
❑ MSD15	15" Deep *(Adjustable from 11" to 15")*	N/C

MATRX SEAT CUSHIONS

Matrx Seat Cushion Options available on seperate form
TRD0739 Matrx Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

LAP BELTS

❑ BELT48	Push Button Style Lap Belt, Length 48"[1]	STD
❑ BELT60	Push Button Style Lap Belt, Length 60"[1]	STD
❑ BELT71	Push Button Style Lap Belt, Length 71"[1]	STD
❑ MBPHB	Mini Bodypoint Padded Lap Belt 2 Point[2] HCPCS code E0978	$205
❑ TROBELT37	Safety Belt for use only with XRO & XROE.	N/C

1. Not available with XRO and XROE.
2. 67" length only option


MOTION CONCEPTS HEADREST PAD

❑ MCSH	Motion Concepts Standard	$428
❑ FM	Fixed Mounting	N/C
❑ OHR	OMIT: Headrest	N/C

Matrx Elan Headrests and Hardware available on seperate form
TRD0739 Matrx Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

TILT ONLY BACK CANE/SPREADER BAR OPTION[1]

❑ MSBSB	Maxx Style Back Adjustable Spreader Bar Adjust height easily on back canes	STD
❑ CSBSB	Classic Style Back Adjustable Spreader Bar(2)	$145
❑ OMR	Optional Multi-Rail *Standard Rehab Back with Classic Style Spreader Bar Only.*	$218



MAXX STYLE | CLASSIC STYLE | OPTIONAL MULTI-RAIL

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

STANDARD BACK CANES - FOR TILT SYSTEMS

❑ SBC14	14" Straight Back Canes	STD
❑ SBC16	16" Straight Back Canes	STD
❑ SBC18	18" Straight Back Canes	STD
❑ SBC20	20" Straight Back Canes	STD

Select Cane Angle

❑ BA75 75° ❑ BA79 79° ❑ BA85 85° ❑ BA90 90° ❑ BA95 95°
❑ BA101 101° ❑ BA106 106° ❑ BA112 112° ❑ BA116 116°

CANE OPTIONS - FOR RECLINE SYSTEMS

❑ RPHS	Push Handles for Recline - Straight[1] (pair)	$508
❑ RPHA	Push Handles for Recline - Angled[1] (pair)	$508

1. 4" of total vertical mounting adjustment.

FINISHED BACK HEIGHT[1][2] - FOR TILT ONLY/ELEVATE ONLY

❑ FBT14 14" ❑ FBT15 15" ❑ FBT16 16" ❑ FBT17 17"
❑ FBT18 18" ❑ FBT19 19" ❑ FBT20 20" ❑ FBT21 21"
❑ FBT22 22" ❑ FBT23 23" ❑ FBT24 24" ❑ FBT25 25"

1. 4" Gap from the seat pan to the bottom of back pan is recommended.
2. Finished back height is measured from seat pan to top of backrest.

FINISHED BACK HEIGHT[1][2] - FOR RECLINE OR TILT/RECLINE

❑ FBR16 16" ❑ FBR17 17" ❑ FBR18 18" ❑ FBR19 19"
❑ FBR20 20" ❑ FBR21 21" ❑ FBR22 22" ❑ FBR23 23"
❑ FBR24 24" ❑ FBR25 25"

1. 6" Gap from the seat pan to the bottom of back pan is recommended.
2. Finished back height is measured from seat pan to top of backrest.

STANDARD BACK OPTIONS

❑ SRB	Standard Rehab Back & Cushion	N/C
❑ SS	Additional Super Soft/HR Foam[1]	$653
❑ MFU	Matrx Fabric Upcharge	$145
❑ OBC	OMIT: Back Cushion	($36)
❑ PIPF	Flat Planar Interface/I-Back Plate[2][3][5]	$181
❑ PIPR	Recessed Planar/I-Back Interface Plate[2][3][5][6]	$181
❑ ORBC	OMIT: Rigid Back & Cushion[4]	($109)

1. Additional foam added may impact seat depth
2. Not available on tilt only or tilt/elevate systems, for use with Recline Module.
3. Required with all Recline Systems when no back is selected. May also be used as an interface for after market backs.
4. Not available with Recline/ESR or Recline/PSB.
5. Not available with XRO and XROE.
6. Fits Comfort Company, Freedom, Pindot and Moulded Backs.

Matrx Upgradable Back Options available on seperate form TRD0739 Matrx Products for Ultra Low Maxx Mini Systems US Price List and Order Form

FREEDOM BACK AND SEAT INTERFACE HARDWARE[1]

Freedom Back Interface Hardware for Tilt Only

❑ FBITFM	Flush Mount *Back can be seat width or up to 4" narrower*	$181
❑ FBITRM	Recessed Mount *Back must be 4" less than seat width*	$181

Freedom Back Interface Hardware with Recline

❑ FBIRFM	Flush Mount *Back can be seat width or up to 5" narrower*	$181
❑ FBIRRM	Recessed Mount *Back must be 5" less than seat width*	$181
❑ FSIP	Freedom Seat Interface Hardware[2] *Seat can be up to 3" less than system width*	$181

1. Not available with XRO and XROE.
2. Adds 0.5" to Seat to Floor Height.

CHEST STRAPS - ABDOMINAL SUPPORT HCPCS code E0960

❑ MCS2P	Mini BP Padded Chest Strap 2 Point	$283
❑ MFUXS	BP Monoflex, Underarm RLS S(2.25" x 12.25")	$283
❑ MFUS	BP Monoflex, Underarm RLS S(3" x 15.5")	$283
❑ MFCXS	BP Monoflex, Center RLS S(2.25" x 12.25")	$283
❑ MFCS	BP Monoflex, Center RLS S(2.5" x 15.5")	$283

TILT ARMRESTS

❑ PDM1	Dual Post Adj.Height 6.5"-9.5"	STD
❑ PDM2	Dual Post Adj.Height 9.75"-12.75"	STD
❑ PDM3	Dual Post Adj. Height 12.75"-15.75"	STD
❑ OCTA4	Outback Cantilever Tilt Armrest 5.5"-9"	$508
❑ OCTA5	Outback Cantilever Tilt Armrest 8.5"-12"	$508
❑ OCTA6	Outback Cantilever Tilt Armrest 11.5"-15.5"	$508

RECLINE ARMRESTS

❑ PRM1	Reclining Adj.Height 7"-8.25"	STD
❑ PRM2	Reclining Adj.Height 9.5"-13"	STD
❑ PRM3	Reclining Adj. Height 13"-16"	STD
❑ OCRA4	Outback Cantilever Recline Armrest 6" - 9.5"	$508
❑ OCRA5	Outback Cantilever Recline Armrest 9.5" - 12.5"	$508
❑ OCRA6	Outback Cantilever Recline Armrest 12.5" - 15.5"	$508

ARMREST TUBE LENGTH - PLEASE SPECIFY

❑ ATFL	Left Full	STD
❑ ATDL	Left Desk	STD
❑ ATFR	Right Full	STD
❑ ATDR	Right Desk	STD

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

ARMPADS

Standard

❑ SAPFL	Left Full (2.25" x 14")	STD
❑ SAPDL	Left Desk (2.25" x 10")	STD
❑ SAPML	Left Mini (2.25" x 7")	STD
❑ SAPFR	Right Full (2.25" x 14")	STD
❑ SAPDR	Right Desk (2.25" x 10")	STD
❑ SAPMR	Right Mini (2.25" x 7")	STD

Waterfall Arm Pads

❑ WAPFL	Left Full (13")	$73
❑ WAPDL	Left Desk (9")	$73
❑ WAPFR	Right Full (13")	$73
❑ WAPDR	Right Desk (9")	$73

Modular Arm Pad - Left[1]

❑ MAPTFL	Left Tray Full (14")	$80
❑ MAPTDL	Left Tray Desk (10")	$80

Select Pad Insert below:

❑ ISSFL	Iskin - Integrated soft skin foam
❑ SCVFL	Startex Covered Visco foam

Modular Arm Pad - Right[1]

❑ MAPTFR	Right Tray Full (14")	$64
❑ MAPTDR	Right Tray Desk (10")	$64

Select Pad Insert below:

❑ ISSFR	Iskin - Integrated soft skin foam
❑ SCVFR	Startex Covered Visco foam

Flat Multi Position Arm Pads

❑ MPAFL	Left Full (14")	$64
❑ MPADL	Left Desk (10")	$64
❑ MPAML	Left Mini (7")	$64
❑ MPAFR	Right Full (14")	$64
❑ MPADR	Right Desk (10")	$64
❑ MPAMR	Rlight Mini (7")	$64

Gel Pads

❑ GAPNL	Narrow Left Desk (2" x 12")	$88
❑ GAPNR	Narrow Right Desk (2" x 12")	$88
❑ GAPWL	Wide Left Desk (3.5" x 12")	$88
❑ GAPWR	Wide Right Desk (3.5" x 12")	$88
❑ GAPLL	Long Left Full (3.5" x 14")	$105
❑ GAPLR	Long Right Full (3.5" x 14")	$105

1. Requires interchangeable pad insert.

ARM ADDUCTOR PAD[1][2]

❑ AADSL	Left Small (6" x 2.25")	$145
❑ AADSR	Right Small (6" x 2.25")	$145
❑ AADLL	Left Large (8.5" x 2.25")	$145
❑ AADLR	Right Large (8.5" x 2.25")	$145

1. Only availble with Modular or Flat Multi Position Arm Pads.
2. 1" thick pad, unlimited fore/aft adjustment.

ELBOW BLOCKS

Left Elbow Block[1]

Select Pad Size and Both Extensions:

❑ EBXL	Size XS (3.25" x 4.25")	$283
❑ EBSL	Size S (3.5" x 5.25")	$283
❑ EBML	Size M (3.75" x 5.75")	$283
❑ EBLL	Size L (4.25" x 6.5")	$283

❑ LV3	Left Vertical Extension 3"
❑ LV5	Left Vertical Extension 5"
❑ LH5	Left Horizontal Extension 5"
❑ LH7	Left Horizontal Extension 7"

Right Elbow Block[1]

Select Pad Size and Both Extensions:

❑ EBXR	Size XS (3.25" x 4.25")	$283
❑ EBSR	Size S (3.5" x 5.25")	$283
❑ EBMR	Size M (3.75" x 5.75")	$283
❑ EBLR	Size L (4.25" x 6.5")	$283

❑ RV3	Right Vertical Extension 3"
❑ RV5	Right Vertical Extension 5"
❑ RH5	Right Horizontal Extension 5"
❑ RH7	Right Horizontal Extension 7"

1. Prevents arm from slipping.

MAXX LATERAL TRUNK SUPPORTS[1]

Lateral Trunk Support Left HCPCS code E0956

❑ LATXL	Size XS (3.25" x 4.25")	$145
❑ LATSL	Size S (3.5" x 5.25")	$145
❑ LATML	Size M (3.75" x 5.75")	$145
❑ LATLL	Size L (4.25" x 6.5")	$145

Add:

❑ SALATL	MAXX Style Swing Away Hardware - Left[2] HCPCS code E1034	$283
❑ ATLL	Additional Telescoping Link - Left[3]	$109

Lateral Trunk Support Right HCPCS code E0956

❑ LATXR	Size XS (3.25" x 4.25")	$145
❑ LATSR	Size S (3.5" x 5.25")	$145
❑ LATMR	Size M (3.75" x 5.75")	$145
❑ LATLR	Size L (4.25" 6.5")	$145

Add:

❑ SALATR	MAXX Style Swing Away Hardware - Right[2] HCPCS code E1034	$283
❑ ATLR	Additional Telescoping Link - Right[3]	$109

1. Comes standard with Fixed Mount Hardware. Not available with Matrx PB, PB Elite Deep, and PB Deep Backs.
2. Comes standard with 1" telescoping link which gives 0-2.75" medial offset.
3. The amount of offset available may be impacted by back thickness.

matrx® BEATING SERIES

Matrx Laterals available on seperate form
TRD0739 Matrx Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

HIP AND KNEE SUPPORTS

Lateral Hip Support Left HCPCS code E0953

- ❑ HSPXLH Size XS (5.5" W x 4" H) $174
- ❑ HSPSMLH Size S/M (7" W x 4" H) $174
- ❑ HSPSLH Size S (7"W x 6"H) $174
- ❑ HSPMLH Size M (9" W x 4"H) $174
- ❑ HSPLLH Size L (13" W x 4"H) $174

Lateral Hip Support Right[1] HCPCS code E0953

- ❑ HSPXRH Size XS (5.5"W x 4"H) $174
- ❑ HSPSMRH Size S/M (7"W x 4"H) $174
- ❑ HSPSRH Size S (7"W x 6"H) $174
- ❑ HSPMRH Size M (9"W x 4"H) $174
- ❑ HSPLRH Size L (13"W x 4"H) $174

Lateral Knee Support Left[1] HCPCS code E0953

- ❑ HSPXLK Size XS (5.5"W x 4" H) $174
- ❑ HSPSMLK Size S/M (7"W x 4" H) $174
- ❑ HSPSLK Size S (7"W x 6" H) $174
- ❑ HSPMLK Size M (9"W x 4"H) $174
- ❑ HSPLLK Size L (13"W x 4"H) $174

Lateral Knee Support Right[1] HCPCS code E0953

- ❑ HSPXRK Size XS (5.5"W x 4"H) $174
- ❑ HSPSMRK Size S/M (7"W x 4"H) $174
- ❑ HSPSRK Size S (7"W x 6"H) $174
- ❑ HSPMRK Size M (9"W x 4"H) $174
- ❑ HSPLRK Size L (13"W x 4"H) $174

Add Removable Hardware:

MAXX Style Quick Release, Multi-Axis Mounting Hardware for Hip Supports HCPCS code E1034

- ❑ MHSHLH Left mounted at Hip $312
- ❑ MHSHLK Left mounted at Knee $312
- ❑ MHSHRH Right mounted at Hip $312
- ❑ MHSHRK Right mounted at Knee $312

Swing Away Hardware for Hip Supports HCPCS code E1034

- ❑ SHSHLH Left mounted at Hip $312
- ❑ SHSHLK Left mounted at Knee $312
- ❑ SHSHRH Right mounted at Hip $312
- ❑ SHSHRK Right mounted at Knee $312

Extended Maxx Style Quick Release, Multi-Axis Mounting Hardware for Hip Supports[2] HCPCS code E1034

- ❑ EMQHLH Left mounted at Hip $312
- ❑ EMQHLK Left mounted at Knee $312
- ❑ EMQHRH Right mounted at Hip $312
- ❑ EMQHRK Right mounted at Knee $312

Lift Off Hardware for Hip Support (Hip Position Only) HCPCS code E1034

- ❑ LOHL Left $283
- ❑ LOHR Right $283

1. Comes standard with Fixed Mount Hardware.
2. Recomended when finished seat cushion thickness will be greater then 3.5" high.

POWER CENTER MOUNT FOOT PLATFORM

MUST BE COMPLETED	*Measurement in Inches*
Knee to Heel:	
Cushion Thickness: *(Subtract)*	
Cushion Compression:(Add)	
Seat Pan to Footplate:(Total)	

LNX Power Center Mount Foot Platform HCPCS code E1012

☐ LNXA 6" Articulation $3,594

- ❑ LASPTF1 6" - 11" Seat pan to footplate

Options for 6" - 11" SPTF:

- ❑ ANFFP Narrow Aluminum Foot Platform 10" W x 10.75" D ..... STD
- ❑ ALICP Individual calf pads 5.75" W x 3.75" H. ..... STD

- ❑ LASPTF2 10" - 14" Seat pan to footplate

Options for 10" - 14" SPTF:

- ❑ LIFPN Rubber coated footplate 10.5" W x 10" D. ..... STD
- ❑ LICP Individual calf pads 6" W x 8.5" H ..... STD
- ❑ OPCP One Piece Flat Calf Panel(2) $363
- ❑ LNXPF Plantar Flex Option for LNX Foot platform(3) $363

❑ LNXM 3" Articulation. $3,594

- ☑ LMSPTF1 6" - 11" Seat pan to footplate

Options for 6" - 11" SPTF:

- ❑ MNFFP Narrow aluminum Foot Platform 10" W x 10.75" D ..... STD
- ❑ MLICP Individual calf pads 5.75" W x 3.75" H. ..... STD

Latitude Style Foot Platform

- ❑ LSFP Latitude Style Foot Platform(2) $4,343
  For Finished Knee to heel measurements of 6.5"-12"
- ❑ LSPFP Latitude Style Padded Foot Plate $363

1. 3" ground clearance required.
2. Not available with XRO and XROE, or
3. Only available with Foot Platform Options.

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

MANUAL ELEVATING CENTER MOUNT LEGREST[1]

- ❑ MECML — Manual Elevating Center Mount Legrest With Plantar Flex $863

Select legrest set up position:

- ❑ 90SU — Set at 90° (elevating range 90-40°) ..... STD

Rubber Coated Fooplate:

- ❑ MRCPN — Rubber coated footplate 10.5" W x 10" D $290

Select seat pan to footplate for Rubber Coated Footplate

- ❑ CSPTF1 — 11.5" - 15" ..... N/C
- ❑ CSPTF2 — 14" - 19" ..... N/C

Individual Fooplates:

- ❑ IFSL — Small - (5" x 7.5" deep) - Left $261
- ❑ IFSR — Small - (5" x 7.5" deep) - Right $261
- ❑ IFML — Medium - (5.5" x 9.5" deep) - Left $261
- ❑ IFMR — Medium - (5.5" x 9.5" deep) - Right $261
- ❑ IFLL — Large - (6" x 11.5" deep) - Left $261
- ❑ IFLR — Large - (6" x 11.5" deep) - Right $261

Select seat pan to footplate for Individual Footplates

- ❑ CSPTF3 — 9.5"- 14.5" ..... N/C
- ❑ CSPTF4 — 12" - 19" ..... N/C

Optional:

- ❑ CICP — Individual calf pads $290

1. 3" ground clearance required

STANDARD FRONT RIGGING


- ❑ FCMP — Fixed Center Mount Platform[1] ..... N/C
  - ❑ FIFPN — Comes with a rubber coated footplate 10.5" W x 10" D. ..... N/C

Select seat pan to footplate:

- ❑ FSPTF1 — 9" - 13" ..... N/C
- ❑ FSPTF14 — 13" -19" ..... N/C

Set at:

- ❑ FSA70 — Set at 70° ..... N/C
- ❑ FSA83 — Set at 83°. ..... N/C
- ❑ FSA90 — Set at 90° ..... N/C
- ❑ FSA97 — Set at 97°. ..... N/C



- ❑ I70SAF — Invacare 70° Swingaway Footrests (pair) ..... N/C
  - ❑ I70-CF — Comes with composite foot plates. ..... N/C

1. 3" ground clearance required

MANUAL CENTER MOUNT FRONT RIGGING

- ❑ MSFCMFP — Maxx Style Fixed Center Mount Foot Platform[1][2] $573
  - ❑ MICP — Comes standard with individual calf pads ..... N/C


Select seat pan to footplate:

- ❑ MSPTF12 — 5" - 11" ..... N/C

- ❑ MNAFP — Comes with Narrow Aluminum Foot Plate 10" W x 10.75" D ..... STD

- ❑ MSPTF13 — 8" - 13". ..... N/C
- ❑ MSPTF14 — 13" -19". ..... N/C

- ❑ MIFPN — Comes with a rubber coated footplate 10.5" W x 10" D. ..... N/C




Set at:

- ❑ MSA70 — Set at 70° ..... N/C
- ❑ MSA83 — Set at 83°. ..... N/C
- ❑ MSA90 — Set at 90° ..... N/C
- ❑ MSA97 — Set at 97°. ..... N/C

1. Depth adjustable, and easy slide adjustment for seat pan to foot plate extension.
2. 3" ground clearance required.

FOOT PLATFORM OPTIONS FOR FIXED/LNX CMFP[1]







- ❑ SFFP — Small Foot Platform (12"w x 8.5"d) $261
- ❑ MFFP — Medium Platform (12"w x10.75"d) $261
- ❑ LFFP — Large Platform (14.5"w x13"d) $363
- ❑ XLFFP — Extra Large Platform (17"w x13"d) $363
- ❑ XXLFFP — Extra Extra Large Platform (21"w x13"d) $363

1. May need to adjust leg position to avoid interference with front casters

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

INDIVIDUAL FOOT PLATES FOR FIXED/LNX CMFP

- ❑ IFSL — Small (5" W x 7.5" D) - Left $239
- ❑ IFSR — Small (5" W x 7.5" D) - Right $239
- ❑ IFML — Medium (5.5" W x 9.5" D) - Left $239
- ❑ IFMR — Medium (5.5" W x 9.5" D) - Right $239
- ❑ IFLL — Large (6" W x 11.5" D) - Left $239
- ❑ IFLR — Large (6" W x 11.5" D) - Right $239



Add:

- ❑ TSSL — Left Toe Strap Small 6.5" $181
- ❑ TSSR — Right Toe Strap Small 6.5" $181
- ❑ TSML — Left Toe Strap Medium 8.5" $181
- ❑ TSMR — Right Toe Strap Medium 8.5" $181
- ❑ TSLL — Left Toe Strap Large 10.5" $181
- ❑ TSLR — Right Toe Strap Large 10.5" $181

- ❑ MFOL — Multi-Axis Footplate (6"W x 10"D) - Left $326
- ❑ MFOR — Multi-Axis Footplate (6"W x 10"D) - Right $326

1. Foot plates may interfere with casters in certain configurations

MAXX INDEPENDENT ADJUSTABLE POSITIONING

- 5.5" - 6" WIDTH ADJUSTMENT
- 9.5" - 11.5" DEPTH ADJUSTMENT
- UP TO 9° ADDUCTION
- UP TO 45° ABDUCTION

- ❑ MPFPL — Maxx Independent Adjustable Positioning Foot plate[1] - Left $290
- ❑ MPFPR — Maxx Independent Adjustable Positioning Foot plate[1] - Right $290
- ❑ MTSL — Left Toe Strap (each) HCPCS code E0952 ..... $51
- ❑ MTSR — Right Toe Strap (each) HCPCS code E0952 ..... $51

1. Foot plates may interfere with casters in certain configurations.

SWING AWAY LEGREST

- ❑ HD70 — Heavy Duty 70° Swing Away Footrest(pair)[1] $718

Select Receivers:

- ❑ RS — Straight Receivers ..... N/C
- ❑ RF — Flared 1" Outward Receivers ..... N/C
- ❑ RF2 — Flared 2" Outward Receivers $363

Select Seat Pan to Footplate:

- ❑ HSPTF11 — Length: 6"-10" ..... N/C
- ❑ HSPTF8 — Length: 10"-14" ..... N/C
- ❑ HSPTF2 — Length: 12"-16" ..... N/C
- ❑ HSPTF7 — Length: 15"-19" ..... N/C

- ❑ 90SWING — Invacare 90° Swingaway Footrests with AT5543 Adjustable Angle Foot plates, Heel Loops and Impact Guards[2] (Range 4.5"-7.5") $653




Select Seat Pan to Footplate:

- ❑ ISPTF11 — Seat pan to footplate 6"-10" ..... N/C
- ❑ ISPTF8 — Seat pan to footplate 11"-15" ..... N/C
- ❑ ISPTF2 — Seat pan to footplate 13"-17" ..... N/C

1. Must choose footplate on page 9.
2. For optional Seat pan to footplate extensions on 90SWING you must order with Motion Concepts Foot plates

FOOTPLATES - SWING AWAY/ELEVATING LEGRESTS[1]

HCPCS code K0040

Angle Adjustable Footplates

- ❑ AFSL — Left Small Footplate (4.25"W x 8"D) $239
- ❑ AFSR — Right Small Footplate (4.25"W x 8"D) $239
- ❑ AFML — Left Medium Footplate (5.25"W x 8"D) $239
- ❑ AFMR — Right Medium Footplate (5.25"W x 8"D) $239
- ❑ AFLL — Left Large Footplate (6.25"W x 8"D) $239
- ❑ AFLR — Right Large Footplate (6.25"W x 8"D) $239

Multi-Axis Adjustable Angle Footplates

- ❑ MFSL — Left Small Footplate (4.25"W x 8"D) $326
- ❑ MFSR — Right Small Footplate (4.25"W x 8"D) $326
- ❑ MFML — Left Medium Footplate (5.25"W x 8"D) $326
- ❑ MFMR — Right Medium Footplate (5.25"W x 8"D) $326
- ❑ MFLL — Left Large Footplate (6.25"W x 8"D) $326
- ❑ MFLR — Right Large Footplate (6.25"W x 8"D) $326

HEEL LOOPS, CUPS AND TOE STRAPS

- ❑ HLL — Left Heel Loop (each) HCPCS code E0951 ..... $29
- ❑ HLR — Right Heel Loop (each) HCPCS code E0951 ..... $29
- ❑ HCL — Left Cup Loop (each) HCPCS code E0951 ..... $29
- ❑ HCR — Right Cup Loop (each) HCPCS code E0951 ..... $29
- ❑ TSL — Left Toe Strap (each) HCPCS code E0952 ..... $29
- ❑ TSR — Right Toe Strap (each) HCPCS code E0952 ..... $29

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

SINGLE-DUAL FUNCTION ELECTRONICS

- ☐ SFCB — Single/Dual Function Electronics[1] ..... STD

Select Switch:

- ☐ SPBSO — Single Push Button
- ☐ STO — Single Toggle
- ☐ DPBO — Dual Push Button
- ☐ OSO — Omit Switch

Optional:

- ☐ RDE — Reduced Drive for Elevating Seat[2] $580

- ☐ SFCBA — Single/Dual Function Drive Control[1]
  HCPCS code E2310 ..... $2,190

Optional:

- ☐ RDES — Reduced Drive for Elevating Seat[2] $580

- ☐ DFCBD — Dual Function Through Drive Control[1]
  HCPCS code E2311 ..... $2,919

Optional:

- ☐ RDED — Reduced Drive for Elevating Seat[2] $580

1. These electronics include drive lock-out and tilt limit.
2. If reduced drive is not selected the system will be in drive lock-out when elevated.

MULTI- FUNCTION ELECTRONICS

- ☐ MFCBS — Multi-Function through Switch[1] ..... N/C

Select Switch:

- ☐ QPBO — Quad Push Button ..... N/C
- ☐ FWT — Four-Way Toggle Switch $218
- ☐ EWR — 8-Way Rocker $297

Optional:

- ☐ RDEM — Reduced Drive for Elevating Seat[2] $480

- ☐ MFCBD — Multi-Function M610 Through Drive Control[1] HCPCS code E2311 ..... $3,504
  Includes reduced drive for Elevating Seat

1. These electronics include attendant control, drive lock-out, tilt/recline limit and actuator speed control.
2. If reduced drive is not selected system will be in drive lock-out when elevated.

ELECTRONIC SWITCH MOUNTING

- ☐ ESML — Left Side (Armpad)
- ☐ ESMR — Right Side (Armpad)
- ☐ ESMJL — Joystick Left (Mounts to Joystick Bracket)
- ☐ ESMJR — Joystick Right (Mounts to Joystick Bracket)
- ☐ ESMD — Do not mount

ELECTRONICS OPTIONS

Additional Switches[4]

- ☐ SPBSA — Single Push Button $218
- ☐ STA — Single Toggle Switch[3] $218
- ☐ DPBA — Dual Push Button[3] $218
- ☐ QPBA — Quad Push Button[1][3] $218
- ☐ FWTA — Four-Way Toggle Switch[1][3] $218
- ☐ EWRA — 8-Way Rocker[1][3] $297
- ☐ TWRA — 10-Way Rocker[1][3] $297
- ☐ TWTA — 10-Way Toggle[1][3] $297
- ☐ EWPA — 8-Way Push Button[1][3] $370
- ☐ 10WA — 10-Way Push Button[1][3] $370
- ☐ ASL320R — ASL Pulse Mechanical Switch - Red $181
- ☐ ASL320G — ASL Pulse Mechanical Switch - Green $181
- ☐ ASL320BK — ASL Pulse Mechanical Switch - Black $181
- ☐ SESG — Stealth Egg Switch - Green $196
- ☐ SESB — Stealth Egg Switch - Black $196
- ☐ FTSQ — Feather Touch - Single Quarter Size $295
- ☐ FTMD — Feather Touch - Dual Dime Size[1][3] $428
- ☐ FTMQ — Feather Touch - Quad Dime Size[1][3] $428

Specify Use for Additional Switch:

- ☐ STG — Seating
- ☐ JM — Joystick Mode[2]
- ☐ JOO — Joystick On/Off[2]

Specify Mounting for Additional Switch:

- ☐ ESMLA — Left Side (Armpad)
- ☐ ESMRA — Right Side (Armpad)
- ☐ ESMJLA — Joystick Left (Mounts to Joystick Bracket)
- ☐ ESMJRA — Joystick Right (Mounts to Joystick Bracket)
- ☐ ESMDA — Do not mount

Miscellaneous

- ☐ S46R — Single to Dual Switch Adapter $384
  Allows for dual use of a single switch
- ☐ M616S — M616 Converter[1] HCPCS code E2399 ..... $181
  Allows up to 4 mono phono switches into Multi-Function box
- ☐ LJS — Lazarus Jump Starter HCPCS code A9270 ..... $218
- ☐ APPS — Accessory Port Power Supply[1] (3 amp capacity) $283
- ☐ TPSMH — 12 Piece Switch Mounting Hardware Kit (additional kits) $57

1. Not available with Single-Dual Function Electronics.
2. Not available with Joysticks D50677, D50680, D51108, D51122S
3. Not available for Joystick Mode or Joystick On/Off. Must Select Seating (STG)
4. If system requires more than (1) Additional Switch, please contact customer service.

Ultra Low Mini CG Power Positioning System
Rovi X3 Base

Dealer Name: _____
Dealer Account Number: _____
PO #: _____
Tag: _____

ACCESSORIES

❑ MUSB	Motion Dual USB Charger	N/C
❑ UCH	Universal Cup Holder[1][5]	$51
❑ SPH	Smart Phone Holder[1]	$53
❑ PH	X-Grip Phone Holder	$109
❑ AMC	Accessory Mount with Clip (QTY ____) [2]	$73
❑ CRVMR	Rear View Mirror Right Mounted	$65
❑ CRVML	Rear View Mirror Left Mounted	$65
❑ HK	Hydration Kit[2]	$363
❑ MUB	Medical Utility Bag w/ Mounting Hardware	$363
❑ THS	Transfer Handles 4" - 6.5"	$508
❑ THL	Transfer Handles 9" - 11.5"	$508
❑ FFLTL	Flip and Fold Away 1/2 Lap Tray Left Mounting(14"W x 10"D)[2][3][4]	$1,153
❑ FFLTR	Flip and Fold Away 1/2 Lap Tray Right Mounting(14"W x 10"D)[2][3][4]	$1,153
❑ CFH	Flag Holder [2]	$94
❑	Left Mount	
❑	Right Mount	
❑ CSCC	Cane and Crutch Holder	$573
❑	Left Mount	
❑	Right Mount	

1. Not available with OMNI2
2. Not available with XRO, XROE brackets
3. Not available on joystick side and only available with a flat arm pad or modular arm pad. Not available with Outback Cantilever Arms.
4.The maximum weight capacity of the tray is 10 lbs.
5.Not available on the joystick side

REAR STORAGE BASKET[1][2]

❑ RSB	Removable Rear Storage Basket *Exterior dimensions: 18"W x 6"H x 7"D* *Interior dimensions: 17.8"W x 6"H x 6.8"D* *Interior capacity: 3 gallon* *Max Load: 20 lbs*	$1,878

1. Tall items extending beyond the basket's height may be damaged upon tilting.
2. Not available with XRO, XROE brackets

BATTERIES

❑ M34 SLD G	MK Group 34 Battery (ea) Quantity( ) HCPCS code E2359	$442

INSTALLATION

❑ MBI	Motion Concepts Installation[1]	N/C

1. Batteries may be required if items on Accessories order form are selected at time of installation, please call to confirm.

NOTES

RETAIL $ _____

SUBMIT

PRINT FORM | SAVE | CLEAR FORM