



Thank you for using Motion Concepts eForms.

Motion Concepts is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.



Adobe Acrobat Reader DC

* Interactive functions of our new forms work best with the latest version of Adobe Acrobat Reader DC visit <https://get.adobe.com/reader/> to download and install on your PC or Mac or visit Google Play/ iTunes to download the Adobe Acrobat Reader DC app for your device.

Save

Adobe Acrobat Reader DC allows you to save this form with your content - to complete later or use as a starting point for your next form. Please note that content must be added and saved in Acrobat - saving content from completed forms in the browser may not be possible.

SAVE

Submit

Adobe Acrobat Reader DC allows you to submit this form electronically via your email client.

Simply click the submit button below and step through the simple process.

SUBMIT

CLEAR FORM

Print

If you do not have access to Adobe Acrobat Reader DC simply print this form and complete it by hand and fax it to our Customer Service Department at:

888-433-6818

PRINT FORM



**TURNING,
DRIVING
& RIDE
COMFORT!**

ULTRA LOW MINI CG POWER POSITIONING SYSTEM ON STORM TORQUE RX20 BASE

US PRICE LIST AND ORDER FORM - Price Effective July 15, 2026



PRINT FORM

SAVE

CLEAR FORM

Motion Concepts Customer Service: 1-888-433-6818

quotes@motionconcepts.com

REQUIRED INFORMATION

☐ Quote ☐ Order

Date of Order: _____ Dealer Account #: _____

Dealer Name: _____

PO #: _____ Tag: _____

Purchasing Contact: _____

Phone: _____ Fax: _____

E-mail: _____

ATP/Therapist: _____

Ship to Address: _____

City: _____ State: _____


Zip: _____ Client Gender: ☐ M ☐ F

Special Client Conditions: _____

REQUIRED MEASUREMENTS

To ensure system is accurately configured please fill in all **REQUIRED*** measurements

Client Height*	
Client Weight (lbs)*	
A. Seat to Shoulder	
B. Trunk Depth	
C. Chest Width	
D. Knee to Back	
E. Seat to Top of Head	
F. Back to Joystick	
G. Seat to Elbow	
H. Hip Width	
I. Knee to Heel*	
Cushion Thickness*	



BASE OPTIONS

NEW!

☐ SRX-20SP Storm **Torque** RX20 Base for Single Actuator System⁽¹⁾
HCPCS code K0856. \$8,715

☐ SRX-20MP Storm **Torque** RX20 Base for Multiple Actuator System⁽¹⁾
HCPCS code K0861. \$8,715



-Enhanced Front Caster Housing and Bearings
-New Front Caster Design
-Improved double-sided Front Forks
-Upgraded Rear Suspension
-Optimized Linx Parameters

1. Comes Standard with Lighting Package
2. Must select Ultra Low Maxx Rehab Seat (ULMRSN) system

BASE WIDTH

☐ NARROWFRM Narrow Base 22.4" (MK 50 Batteries) N/C
☐ STDFRM Standard Base 24.4" (MK 24 FT Batteries) N/C

SEAT-TO-FLOOR HEIGHT⁽¹⁾

☐ LOWP 18.125" Seat-To-Floor⁽²⁾ N/C
☐ MEDP 18.625" Seat-To-Floor N/C
☐ TALLP 19.625" Seat-To-Floor N/C

1. Seat-to-floor height is measured at the front of the seat pan based on a standard seat size. Seat-to-floor height may vary +/- .25" dependent on condition of the power base and seat depths greater than 18"
2. Not available on Narrow Base 22.4"

USER WEIGHT LIMIT

☒ U175 Weight Capacity up to 175lbs STD

WHEELCHAIR TRANSPORT BRACKETS

☐ TRBKTS Wheelchair Transport Brackets⁽¹⁾ STD
☐ TRRO Transport Ready Option⁽²⁾⁽⁴⁾ \$289
☐ TRRO-E Transport Ready Option for Elevate⁽²⁾⁽³⁾⁽⁴⁾ \$289

1. For unoccupied use only
2. TRRO meets ISO-7176 Part 19
3. Required for Elevate Systems to meet ISO-7176 Part 19, includes two additional tie-down loops on rail.
4. Must select a Motion Concepts or Matrix Elan headrest with hardware and Motion Concepts Standard Rehab, High Back or Matrix Upgradeable back. Comes with pelvic safety belt standard, please select TROBELT on page 5.

TIRE OPTIONS

☐ AB1431-3 14" x 3" Black Tire with Gel Foam Inserts STD
☐ AB1430-3 14" x 3" Black Tire - Pneumatic Tire N/C

CASTER OPTION

NEW!

☐ AB1228-3 8" x 2.5" Black Casters with Solid Inlay STD

BATTERY CHARGER OPTION

☐ 110CHARGER 110 Volt Battery Charger N/C
☐ L8900 Omit Battery Charger (-\$84)

HIGHSPEED MOTORS AND ENHANCED DRIVING

☐ HSMTR Performance Motors 7.5 mph⁽¹⁾⁽²⁾⁽³⁾ \$1,470
☐ GTRAC-LX LINX G-TRAC Module⁽⁴⁾
HCPCS code K0108. \$1,045

1. Not available on the NARROWFRM.
2. Extended high speed use on rugged terrain is not recommended.
3. Performance/High Speed Motors may have less torque and may have less range than standard speed motors.
4. Recommended for use with Specialty Drive Controls

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

FRAME FINISH

☐ 170P		Obsidian Black.....	N/C
☐ 171P		Ruby Red.....	N/C
☐ 172P		Peacock Blue.....	N/C
☐ 173P		Pink Flamingo.....	N/C
☐ 174P		Purple Passion.....	N/C
☐ 175P		Denim Navy.....	N/C
☐ 176P		Lime Twist.....	N/C
☐ 177P		Arctic Blue.....	N/C

RIM INSERT COLORS - MUST PICK ONE

☐ 170PR		Obsidian Black.....	N/C
☐ 171PR		Ruby Red.....	N/C
☐ 172PR		Peacock Blue.....	N/C
☐ 173PR		Pink Flamingo.....	N/C
☐ 174PR		Purple Passion.....	N/C
☐ 175PR		Denim Navy.....	N/C
☐ 176PR		Lime Twist.....	N/C
☐ 177PR		Arctic Blue.....	N/C
☐ 178PR		Banana Split.....	N/C
☐ 179PR		Orange Marmalade.....	N/C
☐ 180PR		Morning Mist.....	N/C

NON-EXPANDABLE SINGLE/DUAL JOYSTICK

☐ REM215N	LED Non-Expandable Remote with Lights.....	N/C
<i>Three drive profiles, control of two seat functions and light operation</i>		

EXPANDABLE JOYSTICKS⁽¹⁾

☐ REM216N	LED Expandable Remote/Joystick with Lights ⁽³⁾	N/C
<i>Three drive profiles, control of up to 6 actuators and light operation. Not for use with specialty controls</i>		
☐ REM400	Color 3.5" Touch Screen Remote/Joystick ⁽²⁾	\$1,050
<i>Four drive profiles, control of up to 6 actuators through the drive control and light operation.</i>		
☐ SW400TGL	Toggle Kit for REM400 ⁽³⁾	\$415

1. Must choose EXPC Expandable Controller and PWH Harness.
2. REM400 or REM500 is required when using specialty controls, choose specialty controls purchased separately.
3. Adds 2 toggle switches to REM400.

EXPANDABLE CONTROLLER AND HARNESS

☐ EXPC	Expandable Controller ⁽¹⁾ HCPCS code E2377.....	\$775
☐ PWH	Harness for Expandable Controller HCPCS code E2313.....	\$595

1. This item is required when ordering power tilt, power recline, and power elevating legrest together OR when ordering an Alternative Drive Control.

EXPANDABLE SPECIALTY DISPLAY

☐ REM500	LiNX Color 3.5" Touch Screen Display ⁽¹⁾⁽²⁾⁽³⁾	\$1,575
---------------------------------	---	---------

Select mounting position for REM500

☐ R5MR	Right.....	N/C
☐ R5ML	Left.....	N/C
☐ R5RPB	Rear Push Bar.....	\$203

1. Must choose EXPC Expandable Controller and PWH Harness.
2. Driver Control not included.
3. REM400 or REM500 is required when using specialty controls, choose specialty controls purchased separately.

SPECIALTY PROPORTIONAL CONTROLS⁽¹⁾⁽²⁾

☐ CREM	LiNX Compact Remote HCPCS code E2373... ..	\$1,860
☐ CREM-LF	LiNX Compact Remote Low Force HCPCS code E2373.....	\$1,860

1. Requires REM400 or REM500
2. Select Mount in Mounting For Driver Control section

ATTENDANT DRIVE CONTROL CHOICES

☐ ACU	Proportional Attendant Control ⁽¹⁾ HCPCS code E2331.....	\$945
------------------------------	--	-------

Select mounting position for ACU

☐ RPBMR	Right
☐ RPBML	Left
☐ RPBMC	Center

1. Requires Expandable Controller.

THIRD PARTY SPECIALTY CONTROLS

Motion Concepts Install recommended

Installed at Motion Concepts: ☐ YES ☐ NO

☐ Type: _____

☐ Specialty Control Mount:	☐ Right	☐ Left
☐ Display Mount:	☐ Right	☐ Left
☐ Mode Switch Mount:	☐ Right	☐ Left
☐ On/Off Mount:	☐ Right	☐ Left

Notes

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

JOYSTICK MOUNT

Arm Mounted

- ☐ FR Fixed Joystick Mounting - Right STD
- ☐ FL Fixed Joystick Mounting - Left STD
- ☐ MRR Maxx Resolve Swing-Away Joystick Mount
(Right Hand) HCPCS code E1032 \$573
- ☐ MRL Maxx Resolve Swing-Away Joystick Mount
(Left Hand) HCPCS code E1032 \$573
- ☐ SAQR Motion Height Adjustable Swing-Away
Quad Link (Right Hand)
HCPCS code E1032 \$341
- ☐ SAQL Motion Height Adjustable Swing-Away
Quad Link (Left Hand)
HCPCS code E1032 \$341

Rear Push Bar Mounted

- ☐ RPBMR Right \$203
- ☐ RPBML Left \$203
- ☐ RPBMC Center \$203

JOYSTICK KNOB - OPTIONAL

HCPCS code E2323

- ☐ PC101A BodyPoint 3" U-Shaped \$126
- ☐ PC102A BodyPoint 4" U-Shaped \$126
- ☐ PC104A BodyPoint Straight Handle \$126
- ☐ PC107A BodyPoint Domed Rubber \$126
- ☐ PC110A BodyPoint Grooved Mushroom \$126

1. To remove the joystick knob from the REM400, pull straight up on the joystick (DO NOT TWIST) otherwise damage may occur and may void the warranty.

ELECTRONICS - EXPANDABLE MODULES

- ☐ OUT500 Output Module \$525
- ☐ IN200 LiNX Switch Input Module with
Power ON/OFF for REM200 Series⁽¹⁾⁽²⁾ \$525
- ☐ IN500H LiNX 9 Pin Input Module for
Alternative Driver Controls⁽²⁾⁽³⁾⁽⁴⁾⁽⁶⁾ \$1,995
- ☐ IN500 LiNX 9 Pin Input Module with
Sip-N-Puff Nozzle⁽²⁾⁽³⁾⁽⁴⁾⁽⁶⁾ HCPCS code E2325. \$1,995
- ☐ PKG32666 Therafin Sip-N-Puff Breath Tube Kit \$509
HCPCS code E2326
- ☐ COVER-L Large Recline Shroud Cover⁽⁵⁾ N/C

1. Not for use with Alternative Drive Controls. (Uses switch ports).

2. Only one input module per chair.

3. Input module also required for any 9-pin specialty control.

4. 9 pin specialty control and Sip-N-Puff cannot both be used together.

5. May be required when choosing OUT500, IN200 or IN500 options.

6. Requires REM400 or REM500 for compatibility.

LINX ELECTRONIC ACCESSORIES

- ☐ LAK LiNX Access Key⁽¹⁾ \$105

1. Required for programming

NOTES

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

NOTE: Systems Include Seat Pan, Back Pan, and Standard Armrests. They are designed for use with a 2" - 3" cushion

POWER POSITIONING SYSTEMS

- ☐ MULMT Ultra Low Maxx CG Tilt (50°) Only System⁽¹⁾
HCPCS code E1002 \$8,178
- ☐ MULMTRE Ultra Low Maxx CG Tilt (50°) & Power Recline (170°) w/Extended Shear Reduction(ESR)⁽¹⁾
HCPCS code E1007 \$12,630
- ☐ MULMRE Ultra Low Maxx Power Recline (170°) w/Extended Shear Reduction(ESR)
HCPCS code E1004 \$6,268
- ☐ MULME Ultra Low Maxx 12 " Elevating Lift Seat Only HCPCS code E2298 \$7,243
Weight capacity up to 175lbs

1. Tilt will be reduced to 45° if adding an Elevating Lift Seat Module

ADD: POWER ADJUSTABLE SEAT HEIGHT MODULE

- ☐ ESM12 12" Power Adjustable Seat Height Module⁽¹⁾
HCPCS code E2298 \$3,493
Weight capacity up to 175lbs

1. Uses an integrated Tilt/Lift mechanism, tilt is 45° and the seat to floor height is not affected by the Elevating Lift Seat.

MODULES - MUST SELECT SYSTEM TO ADD MODULES

- ☐ EPRETILT 5° Electronic Pre-Tilt⁽¹⁾ N/C
- ☐ PRM8 8° Precline Module⁽²⁾ N/C
- ☐ PRM30 30° Precline Module⁽²⁾
HCPCS code K0108 \$725
- ☐ ERSSP Programable Electronic Recline Function
Start & Stop⁽³⁾ \$580
Specify:
Start: _____degrees Stop: _____degrees

1. This Pre-tilt option can add approximately 2" (5°) to the front seat to floor height. Multi-Function M610 through Drive Control (MFCBD) is required along with the Base Expandable Controller (EXPC) & Harness for Expandable System (PWH).

2. Total degrees of recline is 170° ie. if 30° of precline is used, then 140° of recline will be available. Must order Recline System

3. Requires Multi-Function M610 through Drive Control (MFCBD). The range is dependent on the Recline module selected. Will be set to factory settings unless specified.

SMALL ADULT SEAT WIDTH SETTINGS

- ☐ MSW11 11" Wide (Adjustable from 11" to 15") N/C
- ☐ MSW12 12" Wide (Adjustable from 11" to 15") N/C
- ☐ MSW13 13" Wide (Adjustable from 11" to 15") N/C
- ☐ MSW14 14" Wide (Adjustable from 11" to 15") N/C
- ☐ MSW15 15" Wide (Adjustable from 11" to 15") N/C

SMALL ADULT SEAT DEPTH SETTINGS

- ☐ MSD11 11" Deep⁽¹⁾ (Adjustable from 11" to 15") N/C
- ☐ MSD12 12" Deep (Adjustable from 11" to 15") N/C
- ☐ MSD13 13" Deep (Adjustable from 11" to 15") N/C
- ☐ MSD14 14" Deep (Adjustable from 11" to 15") N/C
- ☐ MSD15 15" Deep (Adjustable from 11" to 15") N/C

1. The weight capacity for seat depth of 11" is 150 lbs.

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

MATRIX SEAT CUSHIONS

matrix
SEATING SERIES

Matrix Seat Cushion Options available on separate form
TRD0739 Matrix Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

LAP BELTS

- ☐ BELT48 Push Button Style Lap Belt, Length 48"⁽¹⁾ STD
- ☐ BELT60 Push Button Style Lap Belt, Length 60"⁽¹⁾ STD
- ☐ BELT71 Push Button Style Lap Belt, Length 71"⁽¹⁾ STD
- ☐ MBPHB Mini Bodypoint Padded Lap Belt 2 Point⁽²⁾
HCPCS code E0978 \$205

- ☐ TROBELT37 Safety Belt for use only with TRRO & TRRO-E N/C

1. Not available with TRRO and TRRO-E.

2. 67" length only option

MOTION CONCEPTS HEADREST PAD

- ☐ MCSH Motion Concepts Standard \$428
- ☐ FM Fixed Mounting N/C

- ☐ OHR OMIT: Headrest N/C

matrix
SEATING SERIES


Matrix Elan Headrests and Hardware available on separate form
TRD0739 Matrix Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

TILT ONLY BACK CANE/SPREADER BAR OPTION⁽¹⁾

- ☐ MSBSB Maxx Style Back Adjustable Spreader Bar STD
Adjust height easily on back canes

- ☐ CSBSB Classic Style Back Adjustable Spreader Bar(2) .. \$145

- ☐ OMR Optional Multi-Rail \$218
Standard Rehab Back with Classic Style Spreader Bar Only.



Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

STANDARD BACK CANES - FOR TILT SYSTEMS

- | | | |
|--------------------------------|-------------------------|-----|
| ☐ SBC14 | 14" Straight Back Canes | STD |
| ☐ SBC16 | 16" Straight Back Canes | STD |
| ☐ SBC18 | 18" Straight Back Canes | STD |
| ☐ SBC20 | 20" Straight Back Canes | STD |

Select Cane Angle

- | | | | | |
|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|
| ☐ BA75 75° | ☐ BA79 79° | ☐ BA85 85° | ☐ BA90 90° | ☐ BA95 95° |
| ☐ BA101 101° | ☐ BA106 106° | ☐ BA112 112° | ☐ BA116 116° | |

CANE OPTIONS - FOR RECLINE SYSTEMS

- | | | |
|-------------------------------|---|-------|
| ☐ RPHS | Push Handles for Recline - Straight ⁽¹⁾ (pair) . . . | \$508 |
| ☐ RPHA | Push Handles for Recline - Angled ⁽¹⁾ (pair) . . . | \$508 |

1. 4" of total vertical mounting adjustment.

FINISHED BACK HEIGHT⁽¹⁾⁽²⁾ - FOR TILT ONLY/ELEVATE ONLY

- | | | | |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| ☐ FBT14 14" | ☐ FBT15 15" | ☐ FBT16 16" | ☐ FBT17 17" |
| ☐ FBT18 18" | ☐ FBT19 19" | ☐ FBT20 20" | ☐ FBT21 21" |
| ☐ FBT22 22" | ☐ FBT23 23" | ☐ FBT24 24" | ☐ FBT25 25" |

1. 4" Gap from the seat pan to the bottom of back pan is recommended.

2. Finished back height is measured from seat pan to top of backrest.

FINISHED BACK HEIGHT⁽¹⁾⁽²⁾ - FOR RECLINE OR TILT/RECLINE

- | | | | |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| ☐ FBR16 16" | ☐ FBR17 17" | ☐ FBR18 18" | ☐ FBR19 19" |
| ☐ FBR20 20" | ☐ FBR21 21" | ☐ FBR22 22" | ☐ FBR23 23" |
| ☐ FBR24 24" | ☐ FBR25 25" | | |

1. 6" Gap from the seat pan to the bottom of back pan is recommended.

2. Finished back height is measured from seat pan to top of backrest.

STANDARD BACK OPTIONS

- | | | |
|-------------------------------|--|----------|
| ☐ SRB | Standard Rehab Back & Cushion | N/C |
| ☐ SS | Additional Super Soft/HR Foam ⁽¹⁾ | \$653 |
| ☐ MFU | Matrx Fabric Upcharge | \$450 |
| ☐ OBC | OMIT: Back Cushion | (-\$36) |
| ☐ PIPF | Flat Planar Interface/I-Back Plate ⁽²⁾⁽³⁾⁽⁵⁾ | \$181 |
| ☐ PIPR | Recessed Planar/I-Back Interface Plate ⁽²⁾⁽³⁾⁽⁵⁾⁽⁶⁾ | \$181 |
| ☐ ORBC | OMIT: Rigid Back & Cushion ⁽⁴⁾ | (-\$109) |

1. Additional foam added may impact seat depth

2. Not available on tilt only or tilt/elevate systems, for use with Recline Module.

3. Required with all Recline Systems when no back is selected. May also be used as an interface for after market backs.

4. Not available with Recline/ESR or Recline/PSB.

5. Not available with TRRO and TRRO-E.

6. Fits Comfort Company, Freedom, Pindot and Moulded Backs. ble with this option.

matrx
SEATING SERIES

Matrx Upgradable Back Options available on separate form
TRD0739 Matrx Products for Ultra Low Maxx Mini Systems
US Price List and Order Form

FREEDOM BACK AND SEAT INTERFACE HARDWARE⁽¹⁾

Freedom Back Interface Hardware for Tilt Only

- | | | |
|---------------------------------|--|-------|
| ☐ FBIFTM | Flush Mount | \$181 |
| | <i>Back can be seat width or up to 4" narrower</i> | |
| ☐ FBITRM | Recessed Mount | \$181 |
| | <i>Back must be 4" less than seat width</i> | |

Freedom Back Interface Hardware with Recline

- | | | |
|---------------------------------|--|-------|
| ☐ FBIRFM | Flush Mount | \$181 |
| | <i>Back can be seat width or up to 5" narrower</i> | |
| ☐ FBIRRM | Recessed Mount | \$181 |
| | <i>Back must be 5" less than seat width</i> | |

- | | | |
|-------------------------------|--|-------|
| ☐ FSIP | Freedom Seat Interface Hardware ⁽²⁾ | \$181 |
| | <i>Seat can be up to 3" less than system width</i> | |

1. Not available with TRRO and TRRO-E.

2. Adds 0.5" to Seat to Floor Height.

CHEST STRAPS - ABDOMINAL SUPPORT HCPCS code E0960

- | | | |
|--------------------------------|---|-------|
| ☐ MCS2P | Mini BP Padded Chest Strap 2 Point. | \$283 |
| ☐ MFUXS | BP Monoflex, Underarm RLS S(2.25" x 12.25") | \$283 |
| ☐ MFUS | BP Monoflex, Underarm RLS S(3" x 15.5") | \$283 |
| ☐ MFCXS | BP Monoflex, Center RLS S(2.25" x 12.25") | \$283 |
| ☐ MFC5 | BP Monoflex, Center RLS S(2.5" x 15.5") | \$283 |

TILT ARMRESTS

- | | | |
|-------------------------------|-------------------------------------|-----|
| ☐ PDM1 | Dual Post Adj.Height 6.5"-9.5" | STD |
| ☐ PDM2 | Dual Post Adj.Height 9.75"-12.75" | STD |
| ☐ PDM3 | Dual Post Adj. Height 12.75"-15.75" | STD |

- | | | |
|--------------------------------|--|-------|
| ☐ OCTA4 | Outback Cantilever
Tilt Armrest 5.5"-9" | \$508 |
|--------------------------------|--|-------|

- | | | |
|--------------------------------|---|-------|
| ☐ OCTA5 | Outback Cantilever
Tilt Armrest 8.5"-12" | \$508 |
|--------------------------------|---|-------|

- | | | |
|--------------------------------|--|-------|
| ☐ OCTA6 | Outback Cantilever
Tilt Armrest 11.5"-15.5" | \$508 |
|--------------------------------|--|-------|

RECLINE ARMRESTS

- | | | |
|-------------------------------|-------------------------------|-----|
| ☐ PRM1 | Reclining Adj.Height 7"-8.25" | STD |
| ☐ PRM2 | Reclining Adj.Height 9.5"-13" | STD |
| ☐ PRM3 | Reclining Adj. Height 13"-16" | STD |

- | | | |
|--------------------------------|---|-------|
| ☐ OCRA4 | Outback Cantilever
Recline Armrest 6" - 9.5" | \$508 |
|--------------------------------|---|-------|

- | | | |
|--------------------------------|--|-------|
| ☐ OCRA5 | Outback Cantilever
Recline Armrest 9.5" - 12.5" | \$508 |
|--------------------------------|--|-------|

- | | | |
|--------------------------------|---|-------|
| ☐ OCRA6 | Outback Cantilever
Recline Armrest 12.5" - 15.5" | \$508 |
|--------------------------------|---|-------|

ARMREST TUBE LENGTH - PLEASE SPECIFY

- | | | |
|-------------------------------|------------|-----|
| ☐ ATFL | Left Full | STD |
| ☐ ATDL | Left Desk | STD |
| ☐ ATFR | Right Full | STD |
| ☐ ATDR | Right Desk | STD |

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

ARMPADS

Standard

☐ SAPFL	Left Full (2.25" x 14")	STD
☐ SAPDL	Left Desk (2.25" x 10")	STD
☐ SAPML	Left Mini (2.25" x 7")	STD
☐ SAPFR	Right Full (2.25" x 14")	STD
☐ SAPDR	Right Desk (2.25" x 10")	STD
☐ SAPMR	Right Mini (2.25" x 7")	STD

Waterfall Arm Pads

☐ WAPFL	Left Full (13")	\$73
☐ WAPDL	Left Desk (9")	\$73
☐ WAPFR	Right Full (13")	\$73
☐ WAPDR	Right Desk (9")	\$73

Modular Arm Pad - Left⁽¹⁾

☐ MAPTFL	Left Tray Full (14")	\$80
☐ MAPTDL	Left Tray Desk (10")	\$80

Select Pad Insert below:

☐ ISSFL	Iskin - Integrated soft skin foam
☐ SCVFL	Startex Covered Visco foam

Modular Arm Pad - Right⁽¹⁾

☐ MAPTFR	Right Tray Full (14")	\$80
☐ MAPTDR	Right Tray Desk (10")	\$80

Select Pad Insert below:

☐ ISSFR	Iskin - Integrated soft skin foam
☐ SCVFR	Startex Covered Visco foam

Flat Multi Position Arm Pads

☐ MPAFL	Left Full (14")	\$64
☐ MPADL	Left Desk (10")	\$64
☐ MPAML	Left Mini (7")	\$64
☐ MPAFR	Right Full (14")	\$64
☐ MPADR	Right Desk (10")	\$64
☐ MPAMR	Right Mini (7")	\$64

Gel Pads

☐ GAPNL	Narrow Left Desk (2" x 12")	\$88
☐ GAPNR	Narrow Right Desk (2" x 12")	\$88
☐ GAPWL	Wide Left Desk (3.5" x 12")	\$88
☐ GAPWR	Wide Right Desk (3.5" x 12")	\$88
☐ GAPLL	Long Left Full (3.5" x 14")	\$105
☐ GAPLR	Long Right Full (3.5" x 14")	\$105

1. Requires interchangeable pad insert.

ARM ADDUCTOR PAD⁽¹⁾⁽²⁾

☐ AADSL	Left Small (6" x 2.25")	\$145
☐ AADSR	Right Small (6" x 2.25")	\$145
☐ AADLL	Left Large (8.5" x 2.25")	\$145
☐ AADLR	Right Large (8.5" x 2.25")	\$145

1. Only available with Modular or Flat Multi Position Arm Pads.

2. 1" thick pad, unlimited fore/aft adjustment.

ELBOW BLOCKS

Left Elbow Block⁽¹⁾

Select Pad Size and Both Extensions:

☐ EBXL	Size XS (3.25" x 4.25")	\$283
☐ EBSL	Size S (3.5" x 5.25")	\$283
☐ EBML	Size M (3.75" x 5.75")	\$283
☐ EBLL	Size L (4.25" x 6.5")	\$283

☐ LV3	Left Vertical Extension 3"
☐ LV5	Left Vertical Extension 5"
☐ LH5	Left Horizontal Extension 5"
☐ LH7	Left Horizontal Extension 7"

Right Elbow Block⁽¹⁾

Select Pad Size and Both Extensions:

☐ EBXR	Size XS (3.25" x 4.25")	\$283
☐ EBSR	Size S (3.5" x 5.25")	\$283
☐ EBMR	Size M (3.75" x 5.75")	\$283
☐ EBLR	Size L (4.25" x 6.5")	\$283

☐ RV3	Right Vertical Extension 3"
☐ RV5	Right Vertical Extension 5"
☐ RH5	Right Horizontal Extension 5"
☐ RH7	Right Horizontal Extension 7"

1. Prevents arm from slipping.

MAXX LATERAL TRUNK SUPPORTS⁽¹⁾

Lateral Trunk Support Left HCPCS code E0956

☐ LATXL	Size XS (3.25" x 4.25")	\$145
☐ LATSL	Size S (3.5" x 5.25")	\$145
☐ LATML	Size M (3.75" x 5.75")	\$145
☐ LATLL	Size L (4.25" x 6.5")	\$145

Add:

☐ SALATL	MAXX Style Swing Away Hardware - Left ⁽²⁾ HCPCS code E1034	\$283
☐ ATLL	Additional Telescoping Link - Left ⁽³⁾	\$109

Lateral Trunk Support Right HCPCS code E0956

☐ LATXR	Size XS (3.25" x 4.25")	\$145
☐ LATSR	Size S (3.5" x 5.25")	\$145
☐ LATMR	Size M (3.75" x 5.75")	\$145
☐ LATLR	Size L (4.25" x 6.5")	\$145

Add:

☐ SALATR	MAXX Style Swing Away Hardware - Right ⁽²⁾ HCPCS code E1034	\$283
☐ ATLR	Additional Telescoping Link - Right ⁽³⁾	\$109

1. Comes standard with Fixed Mount Hardware. Not available with Matrx PB, PB Elite Deep, and PB Deep Backs.

2. Comes standard with 1" telescoping link which gives 0-2.75" medial offset.

3. The amount of offset available may be impacted by back thickness.

matrx
BEATING SERIES

Matrx Laterals available on separate form

TRD0739 Matrx Products for Ultra Low Maxx Mini Systems

US Price List and Order Form

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

HIP AND KNEE SUPPORTS

Lateral Hip Support Left [HCPCS code E0953](#)

☐ HSPXLH	Size XS (5.5" W x 4" H)	\$174
☐ HSPSMLH	Size S/M (7" W x 4" H)	\$174
☐ HSPSLH	Size S (7" W x 6" H)	\$174
☐ HSPMLH	Size M (9" W x 4" H)	\$174
☐ HSPLLH	Size L (13" W x 4" H)	\$174

Lateral Hip Support Right⁽¹⁾ [HCPCS code E0953](#)

☐ HSPXRH	Size XS (5.5" W x 4" H)	\$174
☐ HSPSMRH	Size S/M (7" W x 4" H)	\$174
☐ HSPSRH	Size S (7" W x 6" H)	\$174
☐ HSPMRH	Size M (9" W x 4" H)	\$174
☐ HSPLRH	Size L (13" W x 4" H)	\$174

Lateral Knee Support Left⁽¹⁾ [HCPCS code E0953](#)

☐ HSPXLK	Size XS (5.5" W x 4" H)	\$174
☐ HSPSMLK	Size S/M (7" W x 4" H)	\$174
☐ HSPSLK	Size S (7" W x 6" H)	\$174
☐ HSPMLK	Size M (9" W x 4" H)	\$174
☐ HSPLLK	Size L (13" W x 4" H)	\$174

Lateral Knee Support Right⁽¹⁾ [HCPCS code E0953](#)

☐ HSPXRK	Size XS (5.5" W x 4" H)	\$174
☐ HSPSMRK	Size S/M (7" W x 4" H)	\$174
☐ HSPSRK	Size S (7" W x 6" H)	\$174
☐ HSPMRK	Size M (9" W x 4" H)	\$174
☐ HSPLRK	Size L (13" W x 4" H)	\$174

Add Removable Hardware:

MAXX Style Quick Release, Multi-Axis Mounting

Hardware for Hip Supports [HCPCS code E1034](#)

☐ MHSHLH	Left mounted at Hip	\$312
☐ MHSHLK	Left mounted at Knee	\$312
☐ MHSHRH	Right mounted at Hip	\$312
☐ MHSHRK	Right mounted at Knee	\$312

Swing Away Hardware for Hip Supports [HCPCS code E1034](#)

☐ SHSHLH	Left mounted at Hip	\$312
☐ SHSHLK	Left mounted at Knee	\$312
☐ SHSHRH	Right mounted at Hip	\$312
☐ SHSHRK	Right mounted at Knee	\$312

Extended Maxx Style Quick Release, Multi-Axis Mounting

Hardware for Hip Supports⁽²⁾ [HCPCS code E1034](#)

☐ EMQHLH	Left mounted at Hip	\$312
☐ EMQHLK	Left mounted at Knee	\$312
☐ EMQHRH	Right mounted at Hip	\$312
☐ EMQHRK	Right mounted at Knee	\$312

Lift Off Hardware for Hip Support

(Hip Position Only) [HCPCS code E1034](#)

☐ LOHL	Left	\$283
☐ LOHR	Right	\$283

POWER CENTER MOUNT FOOT PLATFORM

LNK Power Center Mount Foot Platform [HCPCS code E1012](#)

☐ LNXA	6" Articulation	\$3,594
-------------------------------	-----------------------	---------

☐ LASPTF1	6" - 11" Seat pan to footplate
----------------------------------	--------------------------------

Options for 6" - 11" SPTF:

☐ ANFFP	Narrow Aluminum Foot Platform 10" W x 10.75" D	STD
--------------------------------	---	-----

☐ ALICP	Individual calf pads 5.75" W x 3.75" H	STD
--------------------------------	---	-----

☐ LASPTF2	10" - 14" Seat pan to footplate
----------------------------------	---------------------------------

Options for 10" - 14" SPTF:

☐ LIFPN	Rubber coated footplate 10.5" W x 10" D	STD
--------------------------------	--	-----

☐ LICP	Individual calf pads 6" W x 8.5" H	STD
-------------------------------	---	-----

☐ OPCP	One Piece Flat Calf Panel ⁽¹⁾	\$363
-------------------------------	--	-------

☐ LNXPF	Plantar Flex Option for LNK Foot platform ⁽²⁾	\$363
--------------------------------	---	-------

☐ LNXM	3" Articulation	\$3,594
-------------------------------	-----------------------	---------

☒ LMSPTF1	6" - 11" Seat pan to footplate
---	--------------------------------

Options for 6" - 11" SPTF:

☐ MNFFP	Narrow aluminum Foot Platform 10" W x 10.75" D	STD
--------------------------------	---	-----

☐ MLICP	Individual calf pads 5.75" W x 3.75" H	STD
--------------------------------	---	-----

Latitude Style Foot Platform

☐ LSFP	Latitude Style Foot Platform ⁽¹⁾	\$4,343
	For Finished Knee to heel measurements of 6.5"-12"	

☐ LSPFP	Latitude Style Padded Foot Plate	\$363
--------------------------------	--	-------

1. Not available with TRRO and TRRO-E, or

2. Only available with Foot Platform Options.

1. Comes standard with Fixed Mount Hardware.

2. Recommended when finished seat cushion thickness will be greater than 3.5" high.

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

MANUAL ELEVATING CENTER MOUNT LEGREST

- ☐ MECML Manual Elevating Center Mount Legrest
With Plantar Flex\$863

Select legrest set up position:

- ☐ 90SU Set at 90° (elevating range 90-40°) STD

Rubber Coated Footplate:

- ☐ MRCP Rubber Coated Footplate 10.5" W x 10" D \$165

Select seat pan to footplate for One Piece Foot Plate

- ☐ CSPTF1 11.5" - 15" N/C
☐ CSPTF2 14" - 19" N/C

Individual Footplates:


- ☐ IFSL Small - (5" x 7.5" deep) - Left\$239
☐ IFSR Small - (5" x 7.5" deep) - Right\$239
☐ IFML Medium - (5.5" x 9.5" deep) - Left\$239
☐ IFMR Medium - (5.5" x 9.5" deep) - Right\$239
☐ IFLL Large - (6" x 11.5" deep) - Left\$239
☐ IFLR Large - (6" x 11.5" deep) - Right\$239

Select seat pan to footplate for Individual Footplates

- ☐ CSPTF3 9.5" - 14.5" N/C
☐ CSPTF4 12" - 19" N/C

Optional:

- ☐ CICP Individual calf pads \$290



MANUAL CENTER MOUNT FRONT RIGGING

- ☐ MSFCMFP Maxx Style Fixed Center Mount
Foot Platform⁽¹⁾\$573

- ☐ MICP Comes standard with individual calf pads N/C

Select seat pan to footplate:


- ☐ MSPTF12 5" - 11" N/C

- ☐ MNAFP Comes with Narrow Aluminum Foot Plate
10" W x 10.75" D STD

- ☐ MSPTF13 8" - 13" N/C

- ☐ MSPTF14 13" -19" N/C

- ☐ MIFPN Comes with a rubber coated footplate
10.5" W x 10" D. N/C




1. Depth adjustable, and easy slide adjustment for seat pan to foot plate extension.

STANDARD FRONT RIGGING

- ☐ FCMP Fixed Center Mount Platform N/C
☐ FIFPN Comes with a rubber coated footplate
10.5" W x 10" D. N/C


Select seat pan to footplate:

- ☐ FSPTF1 9" - 13" N/C
☐ FSPTF14 13" -19" N/C



- ☐ I70SAF Invacare 70° Swingaway Footrests (pair) N/C
☐ I70-CF Comes with composite foot plates. N/C

FOOT PLATFORM OPTIONS FOR FIXED/LNX CMFP⁽¹⁾



- ☐ SFFP Small Foot Platform (12"w x 8.5"d) \$261
☐ MFFP Medium Platform (12"w x 10.75"d) \$261
☐ LFFP Large Platform (14.5"w x 13"d) \$363
☐ XLFFP Extra Large Platform (17"w x 13"d) \$363
☐ XXLFFP Extra Extra Large Platform (21"w x 13"d) \$363

1. May need to adjust leg position to avoid interference with front casters

Ultra Low Mini CG Power Positioning System

Storm Torque RX20


Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

INDIVIDUAL FOOT PLATES FOR FIXED/LNX CMFP



- | | | |
|-------------------------------|--|-------|
| ☐ IFSL | Small (5" W x 7.5" D) - Left | \$239 |
| ☐ IFSR | Small (5" W x 7.5" D) - Right | \$239 |
| ☐ IFML | Medium (5.5" W x 9.5" D) - Left | \$239 |
| ☐ IFMR | Medium (5.5" W x 9.5" D) - Right | \$239 |
| ☐ IFLL | Large (6" W x 11.5" D) - Left | \$239 |
| ☐ IFLR | Large (6" W x 11.5" D) - Right | \$239 |


Add:

- | | | |
|-------------------------------|-----------------------------------|-------|
| ☐ TSSL | Left Toe Strap Small 6.5" | \$181 |
| ☐ TSSR | Right Toe Strap Small 6.5" | \$181 |
| ☐ TSML | Left Toe Strap Medium 8.5" | \$181 |
| ☐ TSMR | Right Toe Strap Medium 8.5" | \$181 |
| ☐ TSLL | Left Toe Strap Large 10.5" | \$181 |
| ☐ TSLR | Right Toe Strap Large 10.5" | \$181 |

- | | | |
|-------------------------------|---|-------|
| ☐ MFOL | Multi-Axis Footplate (6"W x 10"D) - Left | \$326 |
| ☐ MFOR | Multi-Axis Footplate (6"W x 10"D) - Right | \$326 |

1. Foot plates may interfere with casters in certain configurations

MAXX INDEPENDENT ADJUSTABLE POSITIONING



- 5.5" - 6" WIDTH ADJUSTMENT
- 9.5" - 11.5" DEPTH ADJUSTMENT
- UP TO 9° ADDUCTION
- UP TO 45° ABDUCTION

- | | | |
|--------------------------------|---|-------|
| ☐ MPFPL | Maxx Independent Adjustable Positioning Foot plate ⁽¹⁾ - Left | \$290 |
| ☐ MPFPR | Maxx Independent Adjustable Positioning Foot plate ⁽¹⁾ - Right | \$290 |
| ☐ MTSL | Left Toe Strap (each) HCPCS code E0952 | \$51 |
| ☐ MTSR | Right Toe Strap (each) HCPCS code E0952 | \$51 |

1. Foot plates may interfere with casters in certain configurations.

SWING AWAY LEGREST

- | | | |
|-------------------------------|--|-------|
| ☐ HD70 | Heavy Duty 70° Swing Away Footrest(pair) ⁽¹⁾ | \$718 |
|-------------------------------|--|-------|

Select Receivers:

- | | | |
|------------------------------|-----------------------------------|-------|
| ☐ RS | Straight Receivers | N/C |
| ☐ RF | Flared 1" Outward Receivers | N/C |
| ☐ RF2 | Flared 2" Outward Receivers | \$363 |

Select Seat Pan to Footplate:

- | | | |
|----------------------------------|-----------------------|-----|
| ☐ HSPTF11 | Length: 6"-10" | N/C |
| ☐ HSPTF8 | Length: 10"-14" | N/C |
| ☐ HSPTF2 | Length: 12"-16" | N/C |
| ☐ HSPTF7 | Length: 15"-19" | N/C |

- | | | |
|----------------------------------|--|-------|
| ☐ 90SWING | Invacare 90° Swingaway Footrests with AT5543 Adjustable Angle Foot plates, Heel Loops and Impact Guards ⁽²⁾ (Range 4.5"-7.5") | \$653 |
|----------------------------------|--|-------|

Select Seat Pan to Footplate:




- | | | |
|----------------------------------|-------------------------------------|-----|
| ☐ ISPTF11 | Seat pan to footplate 6"-10" | N/C |
| ☐ ISPTF8 | Seat pan to footplate 11"-15" | N/C |
| ☐ ISPTF2 | Seat pan to footplate 13"-17" | N/C |

1. Must choose footplate on page 9.

2. For optional Seat pan to footplate extensions on 90SWING you must order with Motion Concepts Foot plates

FOOTPLATES - SWING AWAY/ELEVATING LEGRESTS⁽¹⁾

HCPCS code K0040



Angle Adjustable Footplates

- | | | |
|-------------------------------|---|-------|
| ☐ AFSL | Left Small Footplate (4.25"W x 8"D) | \$239 |
| ☐ AFSR | Right Small Footplate (4.25"W x 8"D) | \$239 |
| ☐ AFML | Left Medium Footplate (5.25"W x 8"D) | \$239 |
| ☐ AFMR | Right Medium Footplate (5.25"W x 8"D) | \$239 |
| ☐ AFLL | Left Large Footplate (6.25"W x 8"D) | \$239 |
| ☐ AFLR | Right Large Footplate (6.25"W x 8"D) | \$239 |

Multi-Axis Adjustable Angle Footplates

- | | | |
|-------------------------------|---|-------|
| ☐ MFSL | Left Small Footplate (4.25"W x 8"D) | \$326 |
| ☐ MFSR | Right Small Footplate (4.25"W x 8"D) | \$326 |
| ☐ MFML | Left Medium Footplate (5.25"W x 8"D) | \$326 |
| ☐ MFMR | Right Medium Footplate (5.25"W x 8"D) | \$326 |
| ☐ MFLL | Left Large Footplate (6.25"W x 8"D) | \$326 |
| ☐ MFLR | Right Large Footplate (6.25"W x 8"D) | \$326 |

HEEL LOOPS, CUPS AND TOE STRAPS

- | | | |
|------------------------------|---|------|
| ☐ HLL | Left Heel Loop (each) HCPCS code E0951 | \$29 |
| ☐ HLR | Right Heel Loop (each) HCPCS code E0951 | \$29 |
| ☐ HCL | Left Cup Loop (each) HCPCS code E0951 | \$29 |
| ☐ HCR | Right Cup Loop (each) HCPCS code E0951 | \$29 |
| ☐ TSL | Left Toe Strap (each) HCPCS code E0952 | \$29 |
| ☐ TSR | Right Toe Strap (each) HCPCS code E0952 | \$29 |

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

SINGLE-DUAL FUNCTION ELECTRONICS

- ☐ SFCB Single/Dual Function Electronics⁽¹⁾ STD
- Select Switch:
- ☐ SPBSO Single Push Button
- ☐ STO Single Toggle
- ☐ DPBO Dual Push Button
- ☐ OSO Omit Switch
- Optional:
- ☐ RDE Reduced Drive for Elevating Seat⁽²⁾ \$580
-
- ☐ SFCBA Single/Dual Function Drive Control⁽¹⁾
- HPCPS code E2310 \$2,190
- Optional:
- ☐ RDES Reduced Drive for Elevating Seat⁽²⁾ \$580
-
- ☐ DFCBD Dual Function Through Drive Control⁽¹⁾
- HPCPS code E2311 \$2,919
- Optional:
- ☐ RDED Reduced Drive for Elevating Seat⁽²⁾ \$580

1. These electronics include drive lock-out and tilt limit.

2. If reduced drive is not selected the system will be in drive lock-out when elevated.

MULTI- FUNCTION ELECTRONICS

- ☐ MFCBS Multi-Function through Switch⁽¹⁾ N/C
- Select Switch:
- ☐ QPBO Quad Push Button N/C
- ☐ FWT Four-Way Toggle Switch \$218
- ☐ EWR 8-Way Rocker \$297
- Optional:
- ☐ RDEM Reduced Drive for Elevating Seat⁽²⁾ \$580
-
- ☐ MFCBD Multi-Function M610 Through Drive Control⁽¹⁾⁽³⁾ HPCPS code E2311 \$3,504
- Up to 6 Seating Functions
- On Board Programming Seating Functions
- Specialty Products (i.e. PSB Power Sliding Back)
- Includes reduced drive for Elevating Seat

1. Requires Expandable Controller (EXPC) & Harness for Expandable System (PWH), select on page 2.

2. If reduced drive is not selected system will be in drive lock-out when elevated.

3. These electronics include seating attendant control, drive lock-out, tilt/recline limit and actuator speed control.

ELECTRONIC SWITCH MOUNTING

- ☐ ESML Left Side (Armpad)
- ☐ ESMR Right Side (Armpad)
- ☐ ESMJL Joystick Left (Mounts to Joystick Bracket)
- ☐ ESMJR Joystick Right (Mounts to Joystick Bracket)
- ☐ ESMD Do not mount

ELECTRONICS OPTIONS

Additional Switches

- ☐ SPBSA Single Push Button \$218
- ☐ STA Single Toggle Switch⁽⁴⁾ \$218
- ☐ DPBA Dual Push Button⁽⁴⁾ \$218
- ☐ QPBA Quad Push Button⁽⁴⁾ \$218
- ☐ 10WA 10-Way Push Button⁽¹⁾⁽⁴⁾ \$370
- ☐ ASL320R ASL Pulse Mechanical Switch - Red \$181
- ☐ ASL320G ASL Pulse Mechanical Switch - Green \$181
- ☐ ASL320BK ASL Pulse Mechanical Switch - Black \$181
- ☐ SESG Stealth Egg Switch - Green \$196
- ☐ SESB Stealth Egg Switch - Black \$196
- ☐ FTSQ Feather Touch - Single Quarter Size \$428
- ☐ FTMD Feather Touch - Dual Dime Size⁽⁴⁾ \$428
- ☐ FTMQ Feather Touch - Quad Dime Size⁽⁴⁾ \$428

Additional Switches (not available with ACT4 Electronics)

- ☐ FWT Four-Way Toggle Switch^{(1) (3) (5)} \$218
- ☐ EWRA 8-Way Rocker^{(1) (3) (5)} \$297
- ☐ TWRA 10-Way Rocker^{(1) (3) (5)} \$297
- ☐ TWTA 10-Way Toggle^{(1) (3) (5)} \$297
- ☐ EWPA 8-Way Push Button^{(1) (3) (5)} \$370

Specify Use for Additional Switch:

- ☐ STG Seating
- ☐ JM Joystick Mode⁽²⁾⁽³⁾
- ☐ JOO Joystick On/Off⁽²⁾⁽³⁾

Specify Mounting for Additional Switch:

- ☐ ESMLA Left Side (Armpad)
- ☐ ESMRA Right Side (Armpad)
- ☐ ESMJLA Joystick Left (Mounts to Joystick Bracket)
- ☐ ESMJRA Joystick Right (Mounts to Joystick Bracket)
- ☐ ESMDA Do not mount

Miscellaneous

- ☐ MJBS Motion Junction Box for Switch Control⁽¹⁾⁽⁵⁾⁽⁶⁾ For Mode and/or Emergency Stop \$254
- ☐ S46L Single to Dual Switch Adapter \$384
- Allows for dual use of a single switch
- ☐ M616S M616 Converter⁽¹⁾ HPCPS code E2399 \$181
- Allows up to 4 mono phono switches into Multi-Function box
- ☐ LJS Lazarus Jump Starter HPCPS code A9270 \$218
- ☐ APPS Accessory Port Power Supply⁽¹⁾ 3 amp capacity \$283
- ☐ TPSMH 12 Piece Switch Mounting Hardware Kit (additional kits) \$57

1. Not available with Single-Dual Function Electronics.

2. IN200 is required with REM210, REM211, REM216 joysticks.

3. Not available with REM110 joystick.

4. Not available for Joystick Mode or Joystick On/Off. Must Select Seating (STG)

5. Cannot be used for power On/Off.

6. Not available on Multi Function Act4-LiNX Electronics.

Ultra Low Mini CG Power Positioning System

Storm Torque RX20

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

ACCESSORIES

☐	MUSB	Motion Dual USB Charger	N/C
☐	UCH	Universal Cup Holder ⁽⁴⁾	\$51
☐	PH	X-Grip Phone Holder	\$109
☐	AMC	Accessory Mount with Clip (QTY ____) ⁽¹⁾	\$73
☐	CRVMR	Rear View Mirror Right Mounted	\$65
☐	CRVML	Rear View Mirror Left Mounted	\$65
☐	TAG571850/PWC	Wheelchair Cover ⁽¹⁾	\$152
☐	HK	Hydration Kit ⁽²⁾	\$363
☐	MUB	Medical Utility Bag w/ Mounting Hardware	\$363
☐	THS	Transfer Handles 4" - 6.5"	\$508
☐	THL	Transfer Handles 9" - 11.5"	\$508
☐	FFLTL	Flip and Fold Away 1/2 Lap Tray Left Mounting(14"W x 10"D) ⁽¹⁾⁽²⁾⁽³⁾	\$1,153
☐	FFLTR	Flip and Fold Away 1/2 Lap Tray Right Mounting(14"W x 10"D) ⁽¹⁾⁽²⁾⁽³⁾	\$1,153
☐	CFHL	Flag Holder ⁽¹⁾ - Left Mount	\$94
☐	CFHR	Flag Holder ⁽¹⁾ - Right Mount	\$94
☐	CSCCL	Cane and Crutch Holder - Left Mount	\$573
☐	CSCCR	Cane and Crutch Holder - Right Mount	\$573

1. Not available with TRRO, TRRO-E brackets

2. Not available on joystick side and only available with a flat arm pad or modular arm pad. Not available with Outback Cantilever Arms.

3. The maximum weight capacity of the tray is 10 lbs.

4. Not available on the joystick side

REAR STORAGE BASKET⁽¹⁾⁽²⁾

☐	RSB	Removable Rear Storage Basket.	\$1,878
		Exterior dimensions: 18"W x 6"H x 7"D	
		Interior dimensions: 17.8"W x 6"H x 6.8"D	
		Interior capacity: 3 gallon	
		Max Load: 20 lbs	

1. Tall items extending beyond the basket's height may be damaged upon tilting.

2. Not available with TRRO, TRRO-E brackets

BATTERIES

☐	M50-12 SLD M	MK Group 50 Battery (ea) Quantity()	
		HCPCS code E2361	\$355
☐	M24 SLD G FT	MK Group 24 Gel Battery (ea) Quantity()	
		HCPCS code E2363	\$529

INSTALLATION

☐	MCI	Motion Concepts Installation ⁽¹⁾	N/C
--------------------------	-----	---	-----

1. Batteries may be required if items on Accessories order form are selected at time of installation, please call to confirm.

NOTES

RETAIL \$ _____

SUBMIT

PRINT FORM

SAVE

CLEAR FORM