



Invacare Storm Torque RX20 Power Wheelchair with Captains and Solid Seat

US PRICE LIST AND ORDER FORM - Price Effective July 15, 2026



CONTACT MOTION CONCEPTS CUSTOMER SERVICE: 1.888.433.6818 / QUOTES@MOTIONCONCEPTS.COM

REQUIRED INFORMATION

☐ Quote ☐ Order

Date of Order: _____ Dealer Account #: _____

Dealer Name: _____

PO #: _____ Tag: _____

Purchasing Contact: _____

Phone: _____ Fax: _____

E-mail: _____

ATP/Therapist: _____

Ship to Address: _____

City: _____ State: _____

Zip: _____ Client Gender: ☐ M ☐ F

Special Client Conditions: _____

REQUIRED MEASUREMENTS

To ensure system is accurately configured please fill in all required measurements.

Client Height:		
Client Weight:		
Use the table below to calculate your Seat Pan to Footplate Measurement. Then select the appropriate range in the legrest section.	Solid Seat	Captain Seat
Knee to Heel:		
Cushion Thickness: (Subtract)		4"
Cushion Compression:(Add)		

Notes:

HCPCS CODES	K0848, K0849
BASE WIDTH NARROW	22.4"
BASE WIDTH STANDARD	24.4"
BASE LENGTH	33.5"
DRIVE WHEEL SIZE	14"
CASTER WHEEL SIZE	8"
BASE ONLY TURNING RADIUS	24.8"
DRIVETRAIN	4-pole Sealed Housing
RANGE ⁽¹⁾	19.7 miles

⁽¹⁾ Actual driving range and speed may vary due to factors such as user weight, type and grade of terrain, battery condition & charge level; type and condition of the drive wheels, and variations in the drive and control systems.

BATTERIES NARROW	M50
BATTERIES STANDARD	Group 24
BATTERY CHARGER	8A, Off Board
WEIGHT CAPACITY NARROW	300 lbs
WEIGHT CAPACITY STANDARD	300 lbs
GROUND CLEARANCE	3.2"
MAXIMUM SPEED NARROW	5.8 mph
MAXIMUM SPEED STANDARD	7.5 mph

SOLID SEAT



CAPTAIN SEAT



Invacare Storm Torque RX20 Captain and Solid Seat

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

INVACARE POWER BASES

NEW!

- ☐ SRX-20C Storm **Torque** RX20 Base for Captain's Seat
HCPCS code K0849\$8,705
- ☐ SRX-20S Storm **Torque** RX20 Base with Solid Seat Pan
HCPCS code K0848\$8,705



-Enhanced Front Caster Housing and Bearings
-New Front Caster Design
-Improved double-sided Front Forks
-Upgraded Rear Suspension
-Optimized Linx Parameters

SELECT SEAT TO FLOOR HEIGHT (inches)		STF Height	Captain's Seat		Solid Seat	
			No Elevate	With Elevate	No Elevate	With Elevate
☐ RSLow	☐ RSLow-S	Super Low ⁽¹⁾	20 1/4	22	16 1/2	18 1/4
☐ RLow	☐ RLow-S	Low	20 3/4	22 1/2	17	18 3/4
☐ RMED	☐ RMED-S	Medium	21 3/4	23 1/2	18	19 3/4
☐ RTALL	☐ RTALL-S	Tall	22 3/4	24 1/2	19	20 3/4

1. RSLow / RSLow-S \$363 up charge. Not available on Narrow Base

SEAT STYLE

- ☐ SEMIR Semi-Recline (35°) Captain's Seat STD
- ☐ SEMIRB Semi-Recline (35°) with Solid Seat \$145

SEAT COVER

- ☐ BSC Black Slip Cover.....\$573

1. Includes seat, back, and headrest cover

USER WEIGHT LIMITS

- ☐ UW250 Weight Capacity up to 250 lbs⁽¹⁾ STD
- ☐ U300 Weight Capacity up to 300 lbs STD

1. Required for Narrow Frame Base.

BASE WIDTH

- ☐ NARROWFRM Narrow Base 22.4"⁽¹⁾ N/C
- ☐ STDFRM Standard Base 24.4"⁽²⁾ N/C

1. Uses (2) M50 Batteries. User weight limited to 250 lbs.

2. Uses (2) 24 Gel Batteries.

PERFORMANCE MOTORS

- ☐ HSMTR Performance Motors - 7.5 mph⁽¹⁾⁽²⁾⁽³⁾ \$1,470

1. Must order STDFRM Battery Tray Type. Not available on Narrow base.

2. Extended high speed use on rugged terrain is not recommended.

3. Performance/High Speed Motors may have less torque and may have less range than standard speed motors.

TRANSPORT TIE DOWN

- ☐ TRBKTS Wheelchair Transport Brackets⁽¹⁾ STD

1. For unoccupied use only

TIRE OPTIONS

- ☐ AB1431-3 14" x 3" Black Tire with Gel Foam Inserts STD
- ☐ AB1430-3 14" x 3" Black Tire - Pneumatic Tire N/C

CASTER OPTION

NEW!

- ☐ AB1228-3 8" x 2.5" Black Ribbed Casters w/ Solid Inlay N/C

INSTALLATION OF BATTERIES

- ☐ M50-12 SLD M MK Group 50 Battery (ea) Quantity()
HCPCS code E2361\$355
- ☐ M24 SLD G FT MK Group 24 Gel Battery (ea) Quantity()
HCPCS code E2363\$529

BATTERY CHARGER OPTION

- ☐ 110CHARGER 110 Volt Battery Charger..... N/C
- ☐ L8900 Omit Battery Charger (\$84)

FRAME FINISH

- ☐ 170P Obsidian Black..... N/C
- ☐ 171P Ruby Red N/C
- ☐ 172P Peacock Blue N/C
- ☐ 173P Pink Flamingo N/C
- ☐ 174P Purple Passion..... N/C
- ☐ 175P Denim Navy..... N/C
- ☐ 176P Lime Twist N/C
- ☐ 177P Arctic Blue..... N/C

RIM INSERT COLORS - MUST PICK ONE

- ☐ 170PR Obsidian Black..... N/C
- ☐ 171PR Ruby Red N/C
- ☐ 172PR Peacock Blue N/C
- ☐ 173PR Pink Flamingo N/C
- ☐ 174PR Purple Passion..... N/C
- ☐ 175PR Denim Navy..... N/C
- ☐ 176PR Lime Twist N/C
- ☐ 177PR Arctic Blue..... N/C
- ☐ 178PR Banana Split N/C
- ☐ 179PR Orange Marmalade..... N/C
- ☐ 180PR Morning Mist N/C

ELEVATING SEAT

- ☐ ESM12C Elevate lift 12"\$3,504
Weight capacity up to 300lbs

- ☐ RDE Reduced Drive for Elevating Seat⁽¹⁾ \$580
1. If reduced drive is not selected the system will be in drive lock-out when elevated.

ELECTRONICS FOR ELEVATING SEAT

- ☐ SFCB Single Function Electronics⁽¹⁾ STD
- Select Switch:
- ☐ SPBSO Single Push Button
- ☐ STO Single Toggle Switch
- ☐ SFCBA Single/Dual Function Drive Control⁽¹⁾
HCPCS code E2310 \$2,190

Invacare Storm Torque RX20 Captain and Solid Seat

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

ADDITIONAL SWITCH FOR POWER SEATING

☐ SPBSA	Single Push Button	\$218
☐ STA	Single Toggle Switch	\$218
☐ ASL320R	ASL Pulse Mechanical Switch - Red	\$181
☐ ASL320G	ASL Pulse Mechanical Switch - Green	\$181
☐ ASL320BK	ASL Pulse Mechanical Switch - Black	\$181
☐ SESG	Stealth Egg Switch - Green	\$196
☐ SESB	Stealth Egg Switch - Black	\$196

MOUNTING FOR POWER SEATING SWITCH

☐ ESML	Left Side (Armpad)
☐ ESMR	Right Side (Armpad)
☐ ESMJL	Joystick Left (Mounts to Joystick Bracket)
☐ ESMJR	Joystick Right (Mounts to Joystick Bracket)
☐ ESMD	Do not mount

SEAT WIDTH SETTING

☐ W18	18" Wide (Actual Width 17.7" Solid / 19" Captain)	N/C
☐ W20	20" Wide (Actual Width 18.5" Solid / 20" Captain)	N/C
☐ W22	22" Wide (Actual Width 20.5" Solid / 22" Captain)	N/C

SEAT DEPTH SETTING

☐ D16	16" Deep	N/C
☐ D17	17" Deep	N/C
☐ D18	18" Deep	N/C
☐ D19	19" Deep	N/C
☐ D20	20" Deep	N/C
☐ D21	21" Deep	N/C

Seat Width and Depth Compatibility						
	16D	17D	18D	19D	20D	21
18W	✓	✓	✓	✓	N/A	N/A
20W	N/A	N/A	N/A	✓	✓	✓
22W	N/A	N/A	N/A	✓	✓	✓

NON-EXPANDABLE SINGLE DRIVE JOYSTICKS

☐ REM215N	LED Non-Expandable Remote	N/C
----------------------------------	---------------------------------	-----

EXPANDABLE JOYSTICKS AND CONTROLLER

☐ EXPC	Expandable Controller HCPCS code E2377	\$775
☐ PWH	Harness Required for Expandable System HCPCS code E2313	\$595
☐ GTRAC-LX	LiNX G-TRAC Module HCPCS code K0108	\$1,045
☐ REM216N	LED Expandable Remote with Lights ⁽¹⁾	N/C
☐ REM400	Color 3.5" Touch Screen Remote ⁽¹⁾	\$1,050
☐ SW400TGL	Toggle Kit for REM400 ⁽²⁾	\$415

1. Must choose EXPC Expandable Controller and PWH Harness.

2. Adds 2 toggle switches to REM400.

MOUNTING FOR JOYSTICKS

☐ FR	Fixed Joystick Mounting - Right	STD
☐ FL	Fixed Joystick Mounting - Left	STD
☐ MRR	Maxx Resolve Swing-Away Joystick Mount (Right Hand) HCPCS code E1032	\$573
☐ MRL	Maxx Resolve Swing-Away Joystick Mount (Left Hand) HCPCS code E1032	\$573
☐ SAQR	Motion Height Adjustable Swing-Away Quad Link (Right Hand) HCPCS code E1032	\$341
☐ SAQL	Motion Height Adjustable Swing-Away Quad Link (Left Hand) HCPCS code E1032	\$341

LINX ELECTRONIC ACCESSORIES

☐ LAK	LiNX Access Key ⁽¹⁾	\$105
☐ MUSB	Motion Dual USB Charger	N/C

1. Required for programming

JOYSTICK TOPS⁽¹⁾

HCPCS code E2323

☐ PC101A	Bodypoint U Shaped Handle 3"	\$126
☐ PC102A	Bodypoint U Shaped Handle 4"	\$126
☐ PC107A	Bodypoint Rubber Dome	\$126
☐ PC110A	Grooved Mushroom Joystick Handle	\$126

1. To remove/disengage the joystick knob from the REM400 Remote pull straight up on the joystick (DO NOT TWIST) otherwise damage may occur and may void the warranty.

LAP BELTS

☐ BELT48	Push Button Style Lap Belt, Length 48"	STD
☐ BELT60	Push Button Style Lap Belt, Length 60"	N/C
☐ BELT71	Push Button Style Lap Belt, Length 71"	N/C
☐ PLB2	Bodypoint Padded Lap Belt 2 Point ⁽¹⁾	\$222
☐ PLB4	Bodypoint Padded Lap Belt 4 Point ⁽¹⁾	\$275

1. 67" length only option

ARM RESTS

HCPCS code E0973

☒ LVAHF	Left Full Length, Adjustable Height	\$167
☒ RVAHF	Right Full Length, Adjustable Height	\$167

Invacare Storm Torque RX20 Captain and Solid Seat

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

MATRIX SEAT CUSHIONS - FOR SOLID SEAT SYSTEMS

Matrix PS Seat Cushion 14" - 20" wide/reversable cover
HCPCS code E2605. \$383

☐ PS1816 ☐ PS1818 ☐ PS2018 ☐ PS2020

Matrix PS Seat Cushion 21"-22" wide
HCPCS code E2606. \$605

☐ PS2218 ☐ PS2220

Matrix PSP Seat Cushion 14" - 20" wide/reversable cover
HCPCS code E2607. \$438

☐ PSP1816 ☐ PSP1818 ☐ PSP2018 ☐ PSP2020

Matrix PSP Seat Cushion 21"-22" wide
HCPCS code E2608. \$660

☐ PSP2218

Matrix Vi Seat Cushion 14" - 20" wide
HCPCS code E2607. \$497

☐ MA1816-VI ☐ MA1818-VI ☐ MA2018-VI ☐ MA2020-VI

Matrix Vi Seat Cushion 21" - 22" wide
HCPCS code E2608. \$556

☐ MA2218-VI ☐ MA2220-VI

Matrix Libra Seat Cushion 14" - 20" wide
HCPCS code E2624. \$567

☐ LC1816 ☐ LC1818 ☐ LC2018 ☐ LC2020

Matrix Libra HD Seat Cushion 21" wide
HCPCS code E2624. \$696

☐ LC2218 ☐ LC2220

Matrix Libra Adjust Seat Cushion 14" -20" wide
HCPCS code E2624. \$731

☐ LC1816-ADJ ☐ LC1818-ADJ ☐ LC2018-ADJ ☐ LC2020-ADJ

Matrix Libra Adjust Seat Cushion 22" deep
HCPCS code E2624. \$860

☐ LC2218-ADJ ☐ LC2220-ADJ

Matrix Multi Cushion 14" - 20" wide w/reversable cover
HCPCS code E2607. \$521

☐ MM1816 ☐ MM1818 ☐ MM2018 ☐ MM2020

Matrix Multi Cushion 22" wide w/reversable cover
HCPCS code E2608. \$696

☐ MM2218 ☐ MM2220 ☐ MM2222

☐ OCCC "ON-CHAIR" Cushion Credit⁽¹⁾ (\$105)


1. Not available on Matrix PS or PSP Cushions.

STANDARD FRONT RIGGING

☐ FCMP Fixed Center Mount Platform(1)..... N/C
☐ FIFPN Rubber Coated Footplate (10.5" W x 10") N/C

Select seat pan to footplate:

☐ FSPTF3 10.25" - 14.25" N/C
☐ FSPTF4 14.25" - 20.25" N/C



1. Fixed Center Mount will be set at factory seating to prevent caster interference.

MANUAL ELEVATING CENTER MOUNT LEGREST

☐ MECML Manual Elevating Center Mount Legrest
With Plantar Flex \$863

Select legrest set up position:

☐ 90SU Set at 90° (elevating range 90-40°) STD

Rubber Coated Footplate:

☐ MRCPN Rubber Coated Footplate 10.5" W x 10" D \$165

Select seat pan to footplate for One Piece Foot Plate

☐ CSPTF1 12.75" - 16.25" N/C
☐ CSPTF2 15.25" - 20.25" N/C

Individual Footplates:


☐ IFSL Small - (5" x 7.5" deep) - Left \$239
☐ IFSR Small - (5" x 7.5" deep) - Right \$239
☐ IFML Medium - (5.5" x 9.5" deep) - Left \$239
☐ IFMR Medium - (5.5" x 9.5" deep) - Right \$239
☐ IFLR Large - (6" x 11.5" deep) - Left \$239
☐ IFLR Large - (6" x 11.5" deep) - Right \$239

Select seat pan to footplate for Individual Footplates

☐ CSPTF3 10" - 15" N/C
☐ CSPTF4 12.5" - 19.5" N/C

Optional:

☐ CICP Individual calf pads \$290



1. Seat pan to footplate measurements shown are for Solid Seat systems.
Captain Seat measurements are an additional 4"

Invacare Storm Torque RX20 Captain and Solid Seat

Dealer Name: _____

Dealer Account Number:_____

PO #: _____

Tag: _____

MAXX STYLE FRONT RIGGING


- | | | |
|---|--|-------|
| MSFCMFP | Maxx Style Fixed Center Mount
Foot Platform ⁽¹⁾⁽²⁾ | \$573 |
|---|--|-------|

- | | |
|--|---|
| MIFPN | Comes with a rubber coated footplate
10.5" W x 10" D.....N/C |
|--|---|

- MICP Comes standard with individual calf pads.....N/C

Select seat pan to footplate:

- | | | |
|--|-----------------------|-----|
| MSPTF3 | 10.25" - 14.25" | N/C |
| MSPTF14 | 14.25" - 20.25" | N/C |



1. 3" ground clearance required.

2. Fixed Center Mount will be set at factory seating to prevent castor interference.

FOOT PLATFORM OPTIONS ⁽¹⁾



- | | | | |
|---|--------|--|-------|
|  | SFFP | Small Foot Platform (12" w x 8.5" d) | \$261 |
|  | MFFP | Medium Platform (12" w x 10.75" d) | \$261 |
|  | LFFP | Large Platform (14.5" w x 13" d) | \$363 |
|  | XLFFP | Extra Large Platform (17" w x 13" d) | \$363 |
|  | XXLFFP | Extra Extra Large Platform (21" w x 13" d) | \$363 |

1. May need to adjust leg position to avoid interference with front casters

ACCESSORIES

- | | | | |
|---|-----------|---|-------|
|  | PH | X-Grip Phone Holder..... | \$109 |
|  | UCH | Universal Cup Holder ⁽¹⁾ | \$51 |
|  | CSCC | Cane and Crutch Holder | \$573 |
|  | CSO2 | Non-Articulating O2 Gas Holder | \$363 |
|  | CFH | Flag Holder | \$94 |
|  | CRVMR | Rear View Mirror Right Mounted | \$65 |
|  | CRVML | Rear View Mirror Left Mounted | \$65 |
|  | TAG571850 | Captain Seat Wheelchair Cover | \$152 |
|  | AMC | Accessory Mount with Clip. | \$73 |
|  | CSWH | Captain Seat Walker Holder ⁽²⁾ | \$145 |

1. Not available on the joystick side

2. Maximum load is 20 lbs

MILITARY DECAL ⁽¹⁾

- | | | |
|----------------------------------|-----------------------------------|-----|
| ☐ DECALA | Army Decal 3" Diameter | \$0 |
| ☐ DECALAF | Air Force Decal 3" Diameter | \$0 |
| ☐ DECALN | Navy Decal 3" Diameter | \$0 |
| ☐ DECALM | Marines Decal 3" Diameter | \$0 |



1. Comes uninstalled off chair.

INSTALLATION

- | | | |
|---|---|-----|
|  | Motion Concepts Installation ⁽¹⁾ | N/C |
|---|---|-----|

1. Batteries may be required if items on Accessories order form are selected at time of installation, please call to confirm.

NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

RETAIL \$_____

SUBMIT

PRINT FORM

SAVE

CLEAR FORM